

SAFETY DATA SHEET	Page 1

**SECTION 1: IDENTIFICATION** 

PRODUCT NAME: CPD CIPADITE GEL 15 PART "A"

MANUFACTURER/SUPPLIER: CPD Construction Products

219 Connie Crescent, Unit #13

Concord, Ontario Canada L4K 1L4

24 HOUR EMERGENCY NUMBER: ..... CANUTEC: (613) 996-6666

APPLICATION AND USE: Epoxy adhesive gel and crack filler.

PRODUCT DESCRIPTION: ...... Two components epoxy based adhesive gel.

#### **SECTION 2: HAZARDS INDENTIFICATION**

GHS CLASSIFICATION: Skin irritation 2; Serious eye irritation 2A; Skin sensitization 1



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

PRECAUTIONARY STATEMENTS

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash thoroughly after handling.

RESPONSE P308+P311 If exposed or concerned: Call a POISON CENTER or doctor

/physician.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

 $P305 + P351 + P338 \; IF \; IN \; EYES: \; Rinse \; cautiously \; with \; water \; for \; several \; minutes.$ 

Remove contact lenses, if present and easy to do. Continue rinsing. P301+ P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce

vomiting. Get immediate medical advice/ attention.

STORAGE P402 Store in a dry place.

P404 Store in a closed container.

OTHER HAZARDS: Not available. UNKNOWN ACUTE TOXICITY: Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS					
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species	
Diglycidyl Ether					
of Bisphenol-A	60-100	25068-38-6	11400 mg/ Kg (Oral-Rat)	Not Established	
Aliphatic Glycidyl Ether	5-10	2461-15-6	7800 mg/ Kg (Oral-Rat)	Not Established	
Nonyl Phenol	5-10	25154-52-3	580 mg/ Kg (Oral-Rat)	Not Established	



SAFETY DATA SHEET Page 2
ION 4 : FIRST-AID MEASURES
Flush eyes with lukewarm water for at least 15 minutes holding eye lids open.
If irritation persists see a physician.  Wash with soap and water and remove contaminated clothing. Wash clothing
separately prior to reuse. If irritation occurs get medical attention.
If swallowed, <b>DO NOT</b> induce vomiting. Rinse mouth and call a physician or
poison control centre immediately. Never give anything by mouth to an
unconscious person. Obtain medical attention.
YED  Mild irritation and discomfort, may cause avecesive lachrymation or serious ave
<ul> <li>Mild irritation and discomfort, may cause excessive lachrymation or serious eye damage.</li> </ul>
ě .
Prolonged inhalation may result in respiratory irritation, coughing.
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
T
<u> </u>
N 5: FIRE-FIGHTING MEASURES
Carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol resistant foam, water fog.
Do not use a solid water stream as it may scatter and spread fire.
Not available
Toxic gases will form upon combustion.
coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, fire-
fighters should wear an approved full face, self-contained breathing apparatus
(SCBA) and impervious clothing.
Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Do not allow run-off from the
firefighting to enter drains or water courses. Dike for water control.
ACCIDENTAL RELEASE MEASURES
TO OLD EL (TILL TREEEL 192 IVEL 19 CTRES
Pactrict access to area until completion of clean up. Wear appropriate protective
Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in Sections 7 and 8.
equipment. Refer to protective measures listed in Sections 7 and 8.
equipment. Refer to protective measures listed in Sections 7 and 8. This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling.
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling. Store in a cool, dry and well-ventilated area. Store in original container. Keep
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  N7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling. Store in a cool, dry and well-ventilated area. Store in original container. Keep away from foodstuffs.  URE CONTROLS / PERSONAL PROTECTION
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  No. 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling. Store in a cool, dry and well-ventilated area. Store in original container. Keep away from foodstuffs.
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling. Store in a cool, dry and well-ventilated area. Store in original container. Keep away from foodstuffs.  URE CONTROLS / PERSONAL PROTECTION  Contains no substances with occupational exposure limit values.  Provide good general ventilation by adequate local exhaust as necessary. For the
equipment. Refer to protective measures listed in Sections 7 and 8.  This product is in gel form and will not flow. Avoid discharge into sewers, drain watercourses or low areas.  Keep public away. Prevent additional discharge of material if possible to do so without hazard. Contain spilled product with sand or earth. Do not use combustible materials such as sawdust. Recover by using a suitable absorbent.  DN 7: HANDLING AND STORAGE  Avoid all skin contact. Avoid breathing vapours of heated materials. Keep away from heat, sparks and open flame. Wash thoroughly after handling. Store in a cool, dry and well-ventilated area. Store in original container. Keep away from foodstuffs.  URE CONTROLS / PERSONAL PROTECTION  Contains no substances with occupational exposure limit values.



	SAFETY DATA SHEET	Page 3			
		J			
SKIN PROTECTION	Wear protective gloves/ clothing. The suitability for a specific we be discussed with the producers of the protective gloves. Wear reand boots.				
EYE/ FACE PROTECTION	Wear eye/ face protection. Wear as appropriate: Safety glasses w Tightly fitting safety goggles.	ith side shields;			
OTHER PROTECTIVE EQUIPMENT	An eyewash station and/ or safety shower should be made availa immediate working area.	ble in the			
GENERAL HYGIENE CONSIDERATIONS	Avoid breathing fumes and vapours. Avoid contact with skin, ey Wash thoroughly after handling. Remove and wash contaminated reuse. Handle in accordance with good industrial hygiene and sat	d clothing before			
SECTION 9: PH	YSICAL AND CHEMICAL PROPERTIES				
APPEARANCE	Straw coloured gel				
ODOUR	Negligible				
ODOUR THRESHOLD	Not available				
pH LEVEL	Not available				
MELTING/ FREEZING POINT	Not available				
FLASH POINT	Not available				
EVAPORATION RATE (N-BuAc=1)	Not applicable				
VAPOUR PRESSURE	Not applicable				
VISCOSITY	Gel				
VAPOUR DENSITY (AIR=1)	Not applicable				
SPECIFIC GRAVITY @20°C (68°F) BOILING POINT	1.17				
SOLUBILITY IN WATER	Not applicable Insoluble				
% VOLATILE	0 grams/ L				
	10: STABILITY AND REACTIVITY				
REACTIVITY	Not normally reactive.				
CHEMICAL STABILITY	Stable under normal conditions.				
HAZARDOUS REACTIONS	Hazardous polymerization does not occur.				
CONDITIONS TO AVOID	Avoid direct sources of heat. Avoid contact with incompatible m	aterials.			
INCOMPATIBLE MATERIALS	Strong oxidizing agents; Strong acids; Strong bases.				
HAZARDOUS DECOMPOSITION PRODUCTS	Fumes, smoke, and carbon oxides and various hydrocarbons.				
SECTION 11: TOXICOLOGICAL INFORMATION					
LIKELY ROUTES OF EXPOSURE	Skin and eye contact, inhalation, ingestion.				
SIGNS AND SYMPTOMS OF EXPOSURE	okin and eye contact, initiatation, ingestion.				
SKIN CONTACT	This product may cause skin irritation and/or sensitization after r	epeated contact.			
EYE CONTACT	Direct eye contact may cause slight or mild transient irritation. E				
	cause temporary irritation, redness or discomfort.	-			
INHALLATION	Not considered a problem unless heated to high temperatures. In				
	fumes released will cause coughing and/ or breathing difficulties				
INGESTION	In the event of accidental ingestion may cause gastrointestinal irr	ritation, nausea,			
CHRONIC HEALTH EFFECTS	vomiting and/ or diarrhea.				
CHRONIC HEALTH EFFECTS	None known.				
CARCINOGENICITY	Not expected to be mutagenic. Not classified as carcinogens by ACGIH, IARC, OSHA or NTP.				
REPRODUCTIVE EFFECTS	Not classified as carcinogens by ACGIH, IARC, OSHA of NTP.  No data available on the product itself.				
SENSITIZATION TO MATERIAL	This material is classified as hazardous under U.S. OSHA regula	tions (29			
	CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulation				
	Products Regulations) (WHMIS 2015) Classification: Skin sensition				
	Category 1A- May cause allergic skin reaction.				
	Not expected to be a respiratory sensitizer.				



		_
SPECIFIC TARGET ORGAN EFFECTS	Not classified as specific target organ toxicity-single exposure. Not classified as specific target organ toxicity- repeated exposure.	
MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE TOXICOLOGICAL DATA INGREDIENTS LD50/ LC50 DATA	Pre-existing skin, eye, and respiratory disorders. There is no data available for this product. Refer to Section 3.	
SECTION	12: ECOLOGICAL INFORMATION	
ECOTOXICITY  PERSISTANCE AND DEGRADABILITY  BIOACCUMULATION POTENTIAL  MOBILITY IN SOIL	No data is available on the product itself. However, some ingredients composition are toxic to aquatic organisms. Therefore, the product sl discharged into drains or watercourses.  No data is available on the product itself.  No data is available on the product itself.  This product is a gel, will not be absorbed or move through soil.	
SECTION	13: DISPOSAL CONSIDERATIONS	
HANDLING FOR DISPOSAL	Handle in accordance with good industrial hygiene and safety practice protective measures listed in Sections 7 and 8.  Dispose in accordance with all applicable federal, state, provincial arregulations.	
SECTION 14	: TRANSPORTATION INFORMATION	
TDG CLASSIFICATION	Not regulated.	
SECTION	15: REGULATORY INFORMATION	
WHMIS CLASSIFICATION CPR (CANADA) COMPLIANCE	Class D Division 2, Subdivision B Meets all requirements.	
SECTI	ON 16: OTHER INFORMATION	
ACGIH IARC NTP STEL PEL TLV-TWA OSHA NIOSH MSHA RCRA CPR CERCLA CAS PPE N/Av	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Resource Conservation and Recovery Act Controlled Products Regulations Comprehensive Environmental Response, Compensation, and Liabil Chemical Abstracts Service Personal Protection Equipment Not available	ity Act
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 8 <sup>th</sup> , 2017	

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.