

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT NAME: CPD CIPADITE GEL 15 PART "B"

MANUFACTURER/SUPPLIER: CPD Construction Products
219 Connie Crescent, Unit #13
Concord, Ontario Canada L4K 1L4

24 HOUR EMERGENCY NUMBER: CANUTEC: (613) 996-6666
APPLICATION AND USE: Epoxy adhesive gel and crack filler.
PRODUCT DESCRIPTION: Two component epoxy based adhesive gel.

SECTION 2: HAZARDS INDENTIFICATION

GHS CLASSIFICATION:



repeated exposure- Category 2



Skin corrosion/ irritation- Category 1B; Serious eye damage/ eye irritation- Category 1; Skin sensitization- Category 1A; Respiratory sensitization- Category 1; Reproductive Toxicity- Category 1; Specific target organ toxicity, single exposure- Category 3 (Respiratory irritation): Specific target organ toxicity-

SIGNAL WORD: **DANGER** HAZARD STATEMENTS: H314 Causes severe skin burns and eye damage. H317 May cause allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H360 May damage fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. PRECAUTIONARY STATEMENTS: PREVENTION P201 Obtain special instruction before use. P202 Do not handle until all safety precautions have been read and understood. P271 Use only outdoors or in a well-ventilated area. P260 Do not breath dust or mist. P272 Contaminated work clothing should not be allowed out of the workplace. P264 Wash thoroughly after handling. P280 Wear protective gloves/ clothing and eye/face protection. P284 (In case of inadequate ventilation) wear respiratory protection. RESPONSE P308+P313+P311 If exposed or concerned: Get medical attention/ advice. Call a

for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P301+ P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce vomiting. Get immediate medical advice/ attention.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable

STORAGE P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

OTHER HAZARDS: Ingestion can cause gastrointestinal irritation, nausea or diarrhea. Prolonged inhalation may cause adverse lung effects with symptoms including coughing,

mucous production and difficulty breathing.

POISON CENTER or doctor/ physician.



| | OTT | | ATA SHEET | Page 2 |
|--|-------------|--|--|---|
| | | | FORMATION ON INGREDIENT | |
| Hazardous Ingredients | % | C.AS. # | LD/50, Route, Species | LC/50, Route, Species |
| Fatty Acids, Polymer of C-18 Unsaturated Dimers | 20-25 | 68410-23-1 | > 2000 mg/ Kg (Oral -Rat) > 2000 mg/ Kg (Dermal-Rabbit) | Not Available |
| N-Aminoethyl Piperazine | 5-10 | 140-31-8 | 2150 mg/ Kg (Oral-Rat) 880 mg/ Kg (Dermal-Rabbit) | Not Available |
| Triethylene Tetramine | 5-10 | 112-24-3 | 4340 mg/ Kg (Oral-Rat) 805 mg/ Kg (Dermal-Rabbit) | Not Available |
| Bisphenol A | 3-7 | 80-05-7 | 3300 mg/ Kg (Oral-Rat) 3600 mg/ Kg (Dermal-Rabbit) | Not Available |
| Nonyl Phenol (Branched) | 1-5 | 84852-15-3 | 1246 mg/ Kg (Oral-Rat) 2040 mg/ Kg (Dermal-Rabbit) | Not Available |
| Benzyl Alcohol | 1-5 | 100-51-6 | 1230mg/Kg (Oral-Rat) | Not Available |
| Tris, 2,4,6-Dimethyl Aminomethyl Phenol | 1-5 | 90-72-2 | 1200 mg/ Kg (Oral-Rat) | Not Available |
| (2-Aminoethyl) Ethanolamine | 1-3 | 111-41-1 | > 2000 mg/ Kg (Oral -Rat) > 2000 mg/ Kg (Dermal-Rabbit) | Not Available |
| Benzyl Dimethylamine | 0.5-1.5 | 8002-09-3 | 2640 mg/ Kg (Oral-Rat) | Not Available |
| | | SECTION 4 : FIRS | T-AID MEASURES | |
| SKIN CONTACTINHALATIONINGESTION | | Immediately hair): Remove water/ showed Wash contain Immediately remove perso stopped give qualified mediately Immediately | ontinue rinsing. call a POISON CENTRE or doctor/physe/ Take off immediately all contaminater. If skin irritation or rash occurs: Get minated clothing before reuse. call a POISON CENTRE or doctor/ phynto fresh air and keep comfortable for bartificial respiration. If breathing is difficial personnel only. call a POISON CENTRE or doctor/ phyDO NOT induce vomiting. Never give | d clothing. Rinse skin with edical advice/attention. sician. IF INHALLED: oreathing. If breathing has cult give oxygen by sician. IF SWALLOWED: |
| SYMPTOMS AND EFFECTS | S, ACUTE OR | unconscious p DELAYED | person. | anything by mount to an |
| EYE CONTACTSKIN CONTACT | | Harmful in co tissues. Cause burns, deep u skin reaction | e eye damage. ontact with skin. May be absorbed throu es severe skin burns. Direct skin contact lcerations and possibly permanent scarr (e.g. swelling, rash and eczema) Allergi ars after exposure. | may cause corrosive skin ing. May cause an allergic |
| INHALATIONINGESTION | | Harmful if inl cause severe include cougl Ingestion can digestive trac | naled. May cause respiratory irritation. In irritation to the nose, throat and respiratoring, chest pain and shortness of breath. cause irritation and corrosive action in the symptoms include: Gastrointestinal description. | ory tract. Symptoms may the mouth, stomach and iscomfort, nausea, vomiting |
| IMMEDIATE MEDICAL AT SPECIAL TREATMENT NE | | ND | diarrhea. Suspected of damaging fertili | ty or the unborn child. |



| | SAFETY DATA SHEET | Page 3 |
|--|--|--|
| SECTION | N 5: FIRE-FIGHTING MEASURES | 1 age 3 |
| SUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA | Carbon dioxide (CO ₂), dry chemical or alcohol foam. Do not use a solid water stream as it may scatter and spread fire. | |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | Closed containers may rupture if exposed to excess heat or flame up of internal pressure. | due to a build- |
| FLAMMABILITY CLASSIFICATION HAZARDOUS COMBUSTION PRODUCTS | Not flammable, according to OSHA 29 CFR 1910.106. Carbon oxides. Nitrogen oxides, Hydrogen cyanide, Ammonia, Aldehydes, Ketones and other irritating fumes and smoke. | Amines, |
| FIRE-FIGHTERS PROTECTIVE EQUIPMENT | Fire-fighters must use standard protective equipment including f coat, helmet with face shield, gloves, rubber boots and in enclose fighters should wear an approved full face, self-contained breath | ed spaces, fire- |
| SPECIAL FIRE FIGHTING PROCEDURES | (SCBA) and impervious clothing. Move containers from fire area if safe to do so. Water spray may cooling equipment exposed to heat and flame. Do not allow runfirefighting to enter drains or water courses. Dike for water contributions of the contribution of the cont | off from the |
| SECTION 6: | ACCIDENTAL RELEASE MEASURES | |
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY | | |
| PROCEDURES | Restrict access to area until completion of clean-up. Ensure clear conducted by trained personnel only. All persons dealing with clear the appropriate protective equipment including self-contain apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PROTECTION, for additional information on acceptable personal equipment. | ean-up should led breathing PERSONAL |
| ENVIRONMENTAL PRECAUTIONS | Ensure spilled product does not enter drains, sewers, waterways spaces. For large spills, dike the area to prevent spreading. | or confined |
| METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP | Ventilate the area. Remove all sources of ignition. Stop the spill safe to do so. Contain and absorb spilled liquid with non-combu absorbent material (e.g. sand). Pick up and transfer to properly lecontainers. Refer to Section 13 for disposal of contaminated material containers. | stible, inert abelled |
| SPECIAL SPILL RESPONSE PROCEDURES | the proper local authorities. If a spill/ release in excess of the EPA reportable quantity is made environment, immediately notify the national response centre or authorities. | |
| SECTIO | N 7: HANDLING AND STORAGE | |
| PRECAUTIONS FOR SAFE HANDLING | Obtain special instruction before use. Do not handle until all safe have been read and understood. Use only outdoors or in a well-version with recurring skin eczema or sensitization problems should from working with this product. Once a person is sensitized, no for to the material that caused the sensitization should be permitted. gloves/ clothing and eye/ face protection. Contaminated work clother allowed out of the workplace. Do not breath dust or mist. Do not allowed contact with eyes, skin and clothing. Do not eat, drink, sm cosmetics while working with this product. Wash thoroughly after Keep containers tightly closed when not in use. Keep away from and flame. Take precautions to prevent premature mixing of comsubsequent premature curing. | entilated area. buld be excluded further exposure Wear protective othing must not not ingest. bucke or use er handling. extreme heat |
| CONDITIONS FOR SAFE STORAGE | Store locked up. Keep containers tightly closed. Store in a well-v Store away from incompatible materials. Inspect periodically for leaks. Storage area should be clearly identified, clear of obstructi accessible only to trained and authorized personnel. No smoking | damage or on and |



| | SAFETY DATA S | HEET | | Page 4 | |
|---|---|---------------------|---|---------------|--|
| SECTION 8: EXPOS | URE CONTROLS / | PERSONAL P | ROTECTION | | |
| EXPOSURE LIMITS: | ACGIH 7 | LV | OSHA PE | <u>L</u> | |
| | TWA | STEL | PEL | STEL | |
| | | | | | |
| TRIETHYLENETETRAMINE | 1 ppm (skin) | N/Av | N/Av | N/Av | |
| | (AIHA WEEL) | | | | |
| BENZYL ALCOHOL | 10 ppm | N/Av | N/Av | N/Av | |
| BENETE TECOTIOE | (AIHA WEEL) | 1 1/1 1 1 | 11/11/ | 1,711, | |
| EXPOSURE CONTROLS: | , | | | | |
| VENTILATION/ ENGINEERING MEASURES: | | | y technical measures to cor | | |
| | | | asonably practicable this sl | | |
| DECDIDATIONAL DIOTECTION | | | ntilation and good general | | |
| RESPIRATORY PROTECTION | | | e permissible exposure limi rs. Respirators should be so | | |
| | | | minants in air, and in accor | | |
| | | | .4-02. NIOSH approved or | | |
| | | | Advice should be sought f | | |
| | respiratory protection | specialists. | - | | |
| SKIN PROTECTION | | | es impervious to the materi | | |
| | | | are to product is possible, u | | |
| | | | ontact. The suitability for a | | |
| EVE/EACE PROTECTION | | | e producers of the protectiv | | |
| EYE/ FACE PROTECTION | face shield may also b | | lash goggles are recommen | ided. A full | |
| OTHER PROTECTIVE EQUIPMENT | | | should be made available in | n the | |
| OTHER TROTLETTY E EQUIT WENT | An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on | | | | |
| | workplace standards. | ca. Other equipm | ont may be required depend | amg on | |
| GENERAL HYGIENE CONSIDERATIONS | | ke or use cosmeti | ics while working with this | product. Do | |
| | not breath dust or mist. Avoid contact with eyes, skin and clothing. Barrier | | | | |
| | | | areas of skin; they should | | |
| | | | oon completion of work, wa | | |
| | | | of toilet facilities. Remove ontaminated clothing must | | |
| | out of the workplace. | , before re-use. Co | ontaininated clothing must | not be anowed | |
| SECTION 9: PE | IYSICAL AND CHE | MICAL PROP | ERTIES | | |
| APPEARANCE | Amber Gel | | | | |
| ODOUR | Amine Odour | | | | |
| ODOUR THRESHOLD | Not available | | | | |
| pH LEVEL | Not available | | | | |
| MELTING/ FREEZING POINT | Not available | | | | |
| BOILING POINT | Not available | | | | |
| FLASH POINT | Not available | | | | |
| AUTO-IGNITION TEMPERATURE | Not available | | | | |
| EVAPORATION RATE | Not available | | | | |
| FLAMMABILITYVAPOUR PRESSURE | Not applicable Not available | | | | |
| VAPOUR PRESSURE VAPOUR DENSITY (Air=1) (mg/m3) | Not available | | | | |
| SPECIFIC GRAVITY @ 20°C (68°F) | 1.11 | | | | |
| VISCOSITY | Gel | | | | |
| VOLATILES (% by WEIGHT) | Not available | | | | |
| VOC's (Volatile Organic Compounds) | Not available | | | | |
| SOLUBILITY IN WATER (%W/W) | Partially soluble | | | | |
| OTHER SOLUBILITY | Not available | | | | |
| | | | | | |



| | SAFETY DATA SHEET Page 5 |
|--|--|
| SECTION | 10: STABILITY AND REACTIVITY |
| | 10: STABILITY AND REACTIVITY |
| REACTIVITY CHEMICAL STABILITY HAZARDOUS REACTIONS CONDITIONS TO AVOID | Not normally reactive. Stable under the recommended storage and handling conditions prescribed. Hazardous polymerization does not occur. Avoid heat and open flame. Avoid contact with incompatible materials. Ensure |
| INCOMPATIBLE MATERIALS | adequate ventilation, especially in confined areas. Acids. Oxidizing agents. Acid chlorides. Acid anhydrides. Aldehydes. Ketones. Acrylates. |
| HAZARDOUS DECOMPOSITION PRODUCTS | Refer to hazardous combustion products, Section 5. |
| SECTION 11 | : TOXICOLOGICAL INFORMATION |
| LIKELY ROUTES OF EXPOSURESIGNS AND SYMPTOMS OF EXPOSURE | Skin and eye contact, inhalation, ingestion. |
| SKIN CONTACT | Harmful in contact with skin. May be absorbed through the skin. Corrosive to all tissues. Causes severe skin burns. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. |
| EYE CONTACT | Corrosive to eyes. Causes serious eye damage. Direct eye contact may produce severe irritation with possible eye damage. |
| INHALATION | May cause respiratory irritation. If mists are formed, may cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, chest pain and shortness of breath. |
| INGESTION | Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. Symptoms include: Gastrointestinal discomfort, nausea, vomiting, cramping and diarrhea. |
| CHRONIC HEALTH EFFECTS | Prolonged inhalation may cause adverse lung effects with symptoms including coughing, mucous production and difficulty breathing. Prolonged or repeated overexposure may cause kidney effects. |
| MUTAGENICITY | Not expected to be mutagenic in humans. |
| CARCINOGENICITY | No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP This material is classified as hazardous under U.S. OSHA regulations (29 CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Reproductive Toxicity-Category 1 May damage fertility or the unborn child. |
| SENSITIZATION TO MATERIAL | This material is classified as hazardous under U.S. OSHA regulations (29 CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Skin sensitization-Category 1A- May cause allergic skin reaction. |
| SPECIFIC TARGET ORGAN EFFECTS | Respiratory sensitization- Category 1- May cause allergy or asthma symptoms or breathing difficulties if inhaled. This material is classified as hazardous under U.S. OSHA regulations (29 CFR 1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Specific target organ toxicity, single exposure-Category 3 respiratory irritation. Specific target organ toxicity, repeated exposure- Category 2 damage to organs (kidneys) |
| MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE | Pre-existing skin, eye, and respiratory disorders. |
| TOXICOLOGICAL DATA | There is no data available for this product. Refer to Section 3. |
| SECTION | 12: ECOLOGICAL INFORMATION |
| ECOTOXICITY | Toxic to aquatic life with long lasting effects. Do NOT allow product to come in contact with surface waters. Avoid release into environment. |
| PERSISTANCE AND DEGRADABILITY BIOACCUMULATION POTENTIAL MOBILITY IN SOIL | No data is available on the product itself. No data is available on the product itself. No data is available on the product itself. |



| | SAFETY DATA SHEET | Page 6 |
|--|---|-------------------------------|
| SECTION | 13: DISPOSAL CONSIDERATIONS | |
| HANDLING FOR DISPOSAL | Handle in accordance with good industrial hygiene and safety premptied containers may retain product residue, follow label ward container is emptied. Refer to protective measures listed in Secti Dispose in accordance with all applicable federal, state, provinci regulations. | nings even after ons 7 and 8. |
| SECTION 14 | : TRANSPORTATION INFORMATION | |
| TDG CLASSIFICATION | Amines, Liquid, Corrosive N.O.S. (2,4,6 Tris (Dimethylaminon UN 2735, Class 8, PG III | nethyl) Phenol) |
| SECTION | 15: REGULATORY INFORMATION | |
| CEPA INFORMATION WHMIS CLASSIFICATION | All ingredients listed appear on the Domestic Substances List (D. Class D, Division 2, Subdivision B. Class E, Corrosive | OSL) |
| CPR (CANADA) COMPLIANCE | Meets all requirements. | |
| SECT | ION 16: OTHER INFORMATION | |
| ACGIH IARC NTP STEL PEL TLV-TWA OSHA NIOSH MSHA RCRA CPR CERCLA CAS PPE N/Av | American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Resource Conservation and Recovery Act Controlled Products Regulations Comprehensive Environmental Response, Compensation and Li Chemical Abstracts Service Personal Protection Equipment Not available | ability Act |
| PREPARED BY: | Camelia Gardo (905) 669-5013 October 8 th , 2017 | |

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.