

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

**SAFETY DATA SHEET**

**Page 1**

**SECTION 1: IDENTIFICATION**

**PRODUCT NAME: CIPADITE® PRIMER ST PART "B"**

MANUFACTURER/SUPPLIER: ..... CPD Construction Products  
219 Connie Crescent, Unit #13  
Concord, Ontario Canada L4K 1L4  
24 HOUR EMERGENCY NUMBER: ..... CANUTEC: (613) 996-6666  
APPLICATION AND USE: ..... Roller applied epoxy primer for industrial floor coating.  
PRODUCT DESCRIPTION: ..... Two component epoxy sealer/ primer.

**SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION: ..... Acute Toxicity, oral- 4; Skin corrosion/ irritation- 1B; Serious eye damage/ eye irritation- 1; Skin sensitization- 1A; Respiratory sensitization- 1; Reproductive Toxicity- 2; Specific target organ toxicity, single exposure- 3 (Respiratory irritation)



SIGNAL WORD: ..... **DANGER**  
HAZARD STATEMENTS: ..... H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause allergic skin reaction.  
H335 May cause respiratory irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H361 Suspected of damaging fertility or the unborn child.

PRECAUTIONARY STATEMENTS:  
PREVENTION ..... P201 Obtain special instruction before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P271 Use only outdoors or in a well-ventilated area.  
P260 Do not breathe dust or mist.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves/ clothing and eye/face protection.  
RESPONSE ..... P308+P311 If exposed or concerned: Call a POISON CENTER or doctor /physician.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+ P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce vomiting. Get immediate medical advice/ attention.

OTHER HAZARDS: ..... Ingestion can cause gastrointestinal irritation, nausea and diarrhea. Prolonged inhalation may cause adverse lung effects with symptoms including coughing, mucous production and difficulty breathing.  
Burning produces obnoxious and toxic fumes.

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

SAFETY DATA SHEET				Page 2
SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	%	C.A.S. #	LD/50, Route, Species	LC/50, Route, Species
Amine & Epoxy Resin Copolymer	10-30	Not Available	Not Available	Not Available
Nonyl Phenol	20-30	25154-52-3	1620 mg/ Kg (Oral-Rat) 2140 mg/ Kg (Dermal-Rabbit)	Not Available
N-Amino Ethyl Piperazine	10-15	140-31-8	2140 mg/ Kg (Oral-Rat) 880 mg/ Kg (Dermal-Rabbit)	Not Available
Polyamide	5-10	Not Available	Not Available	Not Available
Diethylenetriamine	3-7	111-40-0	1080 mg/ Kg (Oral-Rat) 1041 mg/ Kg (Dermal-Rabbit)	0.07-0.3 mg/ L mist
Bisphenol A	5-10	80-05-7	3300 mg/ Kg (Oral-Rat) 3600 mg/ Kg (Dermal-Rabbit)	Not Available
Pine Oil	1-5	8002-09-3	2640 mg/ Kg (Oral-Rat)	Not Available
SECTION 4 : FIRST-AID MEASURES				
FIRST-AID MEASURES				
EYE CONTACT .....	Immediately call a POISON CENTRE or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.			
SKIN CONTACT.....	Immediately call a POISON CENTRE or doctor/physician. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.			
INHALATION .....	Immediately call a POISON CENTRE or doctor/ physician. IF INHALED: remove person to fresh air and keep comfortable for breathing. If breathing has stopped give artificial respiration. If breathing is difficult give oxygen by qualified medical personnel only.			
INGESTION .....	Immediately call a POISON CENTRE or doctor/ physician. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.			
SYMPTOMS AND EFFECTS, ACUTE OR DELAYED				
EYE CONTACT .....	Causes severe eye damage.			
SKIN CONTACT .....	Harmful in contact with skin. May be absorbed through the skin. Corrosive to all tissues. Causes severe skin burns. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. May cause an allergic skin reaction (e.g. swelling, rash and eczema) Allergic symptoms may develop within 12 hours after exposure.			
INHALATION .....	Harmful if inhaled. May cause respiratory irritation. If mists are formed, may cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, chest pain and shortness of breath.			
INGESTION .....	Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. Symptoms include: Gastrointestinal discomfort, nausea, vomiting, cramping and diarrhea. Suspected of damaging fertility or the unborn child.			
IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED .....	In the event of accidental exposure immediate medical attention is required. Treat symptomatically.			
SECTION 5: FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA .....	Carbon dioxide (CO <sub>2</sub> ), dry chemical or alcohol foam.			
UNSUITABLE EXTINGUISHING MEDIA .....	Do not use a solid water stream as it may scatter and spread fire.			
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE .....	Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.			

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

SAFETY DATA SHEET		Page 3
FLAMMABILITY CLASSIFICATION .....	Not flammable, according to OSHA 29 CFR 1910.106.	
HAZARDOUS COMBUSTION PRODUCTS ....	Carbon oxides. Nitrogen oxides, Hydrogen cyanide, Ammonia, Amines, Aldehydes, Ketones and other irritating fumes and smoke.	
FIRE-FIGHTERS PROTECTIVE EQUIPMENT ...	Fire-fighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, fire-fighters should wear an approved full face, self-contained breathing apparatus (SCBA) and impervious clothing.	
SPECIAL FIRE FIGHTING PROCEDURES.....	Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Do not allow run-off from the firefighting to enter drains or water courses. Dike for water control.	
SECTION 6: ACCIDENTAL RELEASE MEASURES		
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES .....	Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8 for additional information on acceptable personal protective equipment.	
ENVIRONMENTAL PRECAUTIONS .....	Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For large spills, dike the area to prevent spreading.	
METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP .....	Ventilate the area. Remove all sources of ignition. Stop the spill at source if it is safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand). Pick up and transfer to properly labelled containers. Refer to Section 13 for disposal of contaminated material. Contact the proper local authorities.	
SPECIAL SPILL RESPONSE PROCEDURES ...	If a spill/ release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response centre in the United States (phone: 1-800-424-8802) or the appropriate local authorities.	
SECTION 7: HANDLING AND STORAGE		
PRECAUTIONS FOR SAFE HANDLING .....	Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Persons with recurring skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted. Wear protective gloves/ clothing and eye/ face protection. Contaminated work clothing must not be allowed out of the workplace. Do not breath dust or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Wash thoroughly after handling. Keep containers tightly closed when not in use. Keep away from extreme heat and flame. Take precautions to prevent premature mixing of components and subsequent premature curing.	
CONDITIONS FOR SAFE STORAGE .....	Store locked up. Keep containers tightly closed. Store in a well-ventilated place. Store away from incompatible materials. Inspect periodically for damage or leaks. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area.	
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION		
EXPOSURE LIMITS:	<div>ACGIH TLVOSHA PEL</div>	
	<div>TWASTELPELSTEL</div>	
DIETHYLENETRIAMINE .....	<div>1 ppm (skin)N/Av1 ppmN/Av</div> <div>(final rule limit)</div>	

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

**SAFETY DATA SHEET**

**Page 4**

EXPOSURE CONTROLS:	
VENTILATION/ ENGINEERING MEASURES:	Use only in well ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
RESPIRATORY PROTECTION .....	If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29CFR 1910.134) or CSA Z94.4-02. NIOSH approved organic vapour cartridge respirators are recommended. Advice should be sought from respiratory protection specialists.
SKIN PROTECTION .....	Wear protective gloves/ clothing. Gloves impervious to the material are recommended. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
EYE/ FACE PROTECTION .....	Wear eye/ face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.
OTHER PROTECTIVE EQUIPMENT .....	An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
GENERAL HYGIENE CONSIDERATIONS ....	Do not eat, drink, smoke or use cosmetics while working with this product. Do not breath dust or mist. Avoid contact with eyes, skin and clothing. Barrier creams may help to protect the exposed areas of skin; they should however not be applied once exposure has occurred. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Contaminated clothing must not be allowed out of the workplace.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE .....	Amber liquid
ODOUR .....	Characteristic amine
ODOUR THRESHOLD .....	Not available
pH LEVEL .....	Not available
MELTING/ FREEZING POINT .....	Not available
BOILING POINT .....	Not available
FLASH POINT .....	Not available
EVAPORATION RATE .....	Not available
FLAMMABILITY .....	Not applicable
VAPOUR PRESSURE .....	Not available
VAPOUR DENSITY (Air=1) (mg/m3) .....	Not available
SPECIFIC GRAVITY @ 20°C (68°F) .....	0.960
VISCOSITY .....	1100 cps @ 20°C (68°F)
VOLATILES (% by WEIGHT) .....	Not available
VOC's (Volatile Organic Compounds) .....	A&B mix: 10 g/L
SOLUBILITY IN WATER (%W/W) .....	Partially soluble

**SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY .....	Not normally reactive.
CHEMICAL STABILITY .....	Stable under the recommended storage and handling conditions prescribed.
HAZARDOUS REACTIONS .....	Hazardous polymerization does not occur.
CONDITIONS TO AVOID .....	Avoid heat and open flame. Avoid contact with incompatible materials. Ensure adequate ventilation, especially in confined areas.
INCOMPATIBLE MATERIALS .....	Acids. Oxidizing agents. Acid chlorides. Acid anhydrides. Aldehydes. Ketones. Acrylates.
HAZARDOUS DECOMPOSITION PRODUCTS	Refer to hazardous combustion products, Section 5.

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

**SAFETY DATA SHEET**

**Page 5**

**SECTION 11: TOXICOLOGICAL INFORMATION**

LIKELY ROUTES OF EXPOSURE .....	Inhalation, skin and eye contact, ingestion, skin absorption.
SIGNS AND SYMPTOMS OF EXPOSURE	
INHALATION .....	May cause respiratory irritation. If mists are formed, may cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, chest pain and shortness of breath.
INGESTION .....	Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. Symptoms include: Gastrointestinal discomfort, nausea, vomiting, cramping and diarrhea.
SKIN CONTACT .....	Harmful in contact with skin. May be absorbed through the skin. Corrosive to all tissues. Causes severe skin burns. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring.
EYE CONTACT .....	Corrosive to eyes. Causes serious eye damage. Direct eye contact may produce severe irritation with possible eye damage.
CHRONIC HEALTH EFFECTS .....	Prolonged inhalation may cause adverse lung effects with symptoms including coughing, mucous production and difficulty breathing.
MUTAGENICITY .....	Not expected to be mutagenic in humans.
CARCINOGENICITY .....	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP
REPRODUCTIVE EFFECTS .....	This material is classified as hazardous under U.S. OSHA regulations (29 CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Reproductive Toxicity- Category 2-Suspected of damaging fertility or the unborn child.
SENSITIZATION TO MATERIAL .....	This material is classified as hazardous under U.S. OSHA regulations (29 CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Skin sensitization- Category 1A- May cause allergic skin reaction. Respiratory sensitization- Category 1- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
SPECIFIC TARGET ORGAN EFFECTS .....	Eyes, skin, respiratory system and digestive system. This material is classified as hazardous under U.S. OSHA regulations (29 CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Classification: Specific target organ toxicity, single exposure- Category 3 May cause respiratory irritation. Not classified as specific target organ toxicity- repeated exposure.
MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE .....	Pre-existing skin, eye, and respiratory disorders.
SYNERGISTIC MATERIALS .....	Not available
TOXICOLOGICAL DATA .....	There is no data available for this product.
INGREDIENTS LD50/ LC50 DATA .....	Refer to Section 3

**SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICITY .....	Very toxic to aquatic life with long lasting effects. Do not allow this material to drain into sewers or water supplies. Do not release into the environment.
PERSISTANCE AND DEGRADABILITY .....	No data is available on the product itself.
BIOACCUMULATION POTENTIAL .....	No data is available on the product itself.
MOBILITY IN SOIL .....	No data is available on the product itself.

**SECTION 13: DISPOSAL CONSIDERATIONS**

HANDLING FOR DISPOSAL .....	Handle in accordance with good industrial hygiene and safety practice. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Refer to protective measures listed in Sections 7 and 8.
METHODS OF DISPOSAL .....	Dispose in accordance with all federal, state, provincial and local regulations.
RCRA .....	If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

**SDS-276A**  
**Revised October 20<sup>th</sup>, 2017**

SAFETY DATA SHEET		Page 6
SECTION 14: TRANSPORTATION INFORMATION		
TDG CLASSIFICATION .....	Amines, Liquid Corrosive N.O.S. (Amino Ethyl Piperazine) UN 2735, Class 8, PG III	
SECTION 15: REGULATORY INFORMATION		
WHMIS CLASSIFICATION .....	Class D, Division 2, Subdivision B Class E, Corrosive	
CPR (CANADA) COMPLIANCE .....	Meets all requirements.	
SECTION 16: OTHER INFORMATION		
ACGIH .....	American Confederation of Governmental Industrial Hygienists	
IARC.....	International Agency for Research on Cancer	
NTP.....	National Toxicology Program	
STEL .....	Short Term Exposure Limit	
PEL .....	Permissible Exposure Limit	
TLV-TWA .....	Threshold Limit Value - Time-Weighted Average	
OSHA .....	Occupational Safety and Health Administration	
NIOSH .....	National Institute for Occupational Safety and Health	
RCRA .....	Resource Conservation and Recovery Act	
CPR .....	Controlled Products Regulations	
CERCLA .....	Comprehensive Environmental Response, Compensation and Liability Act	
CAS .....	Chemical Abstracts Service	
PPE .....	Personal Protection Equipment	
N/Av .....	Not available	
PREPARED BY: .....	Camelia Gardo	
TELEPHONE NUMBER: .....	(905) 669-5013	
PREPARATION DATE: .....	October 20 <sup>th</sup> , 2017	
The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.		