

SDS-97A	
Revised October 20 th ,	2017

	SAFETY DATA SHEET Page 1
SEC	CTION 1: IDENTIFICATION
PRODUCT NAME: CPD EPOXFLEX LT	GROUT PART "B"
MANUFACTURER/SUPPLIER:	
	219 Connie Crescent, Unit #13
24 HOUR EMERGENCY NUMBER:	Concord, Ontario Canada L4K 1L4 CANUTEC: (613) 996-6666
APPLICATION AND USE:	High strength grout for patching joints etc., where either very high strengths
ATTEICATION AND USE.	and/or chemical resistance are required.
PRODUCT DESCRIPTION:	CPD Epoxflex LT Grout is a Silica filled thermosetting three component Epoxy
	(Low Modulus) Low Temperature Cure Compound. This SDS is for the
	Hardener Component only.
SECTION	2: HAZARDS INDENTIFICATION
GHS CLASSIFICATION:	Acute Toxicity, dermal- 4; Skin corrosion/ irritation- 1B; Serious eye damage/
	eye irritation- 1; Skin sensitization- 1A; Reproductive Toxicity- 2; Specific
	target organ toxicity, single exposure- 3 (Respiratory irritation)
$\mathbf{\wedge}$	
20	
\mathbf{v}	\mathbf{v}
SIGNAL WORD:	DANGER
HAZARD STATEMENTS:	H312 Harmful in contact with skin
HAZARD STATEMENTS.	H314 Causes severe skin burns and eye damage
	H317 May cause allergic skin reaction
	H335 May cause respiratory irritation
	H361 Suspected of damaging fertility or the unborn child
PRECAUTIONARY STATEMENTS:	
PREVENTION	P201 Obtain special instruction before use
	P202 Do not handle until all safety precautions have been read and understood
	P271 Use only outdoors or in a well-ventilated area
	P260 Do not breath dust or mist
	P272 Contaminated work clothing should not be allowed out of the workplace
	P264 Wash thoroughly after handling P280 Wear protective gloves/ clothing and eye/face protection
RESPONSE	P308+P311 If exposed or concerned: Call a POISON CENTER or doctor
	/physician
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention
	P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable
	for breathing
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P301+ P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce
OTHER HAZARDS:	vomiting. Get immediate medical advice/ attention
UTHER HALARDS.	Ingestion can cause gastrointestinal irritation, nausea and diarrhea. Prolonged inhalation may cause adverse lung effects with symptoms including coughing,
	mucous production and difficulty breathing.
	indevide production and difficulty oreadiling.



	SDS-97 A	A
Revised	October	20 th , 2017

SAFETY DATA SHEET Page 2					
SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS					
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species	
Nonyl Phenol	25-35	25154-52-3	1540 mg/ Kg (Oral-Rat) 2000 mg/ Kg (Dermal-Rabbit)	Not Available	
N-Amino Ethyl Piperazine	20-30	140-31-8	2140 mg/ Kg (Oral-Rat) 880 mg/ Kg (Dermal-Rabbit)	Not Available	
Diethylene Triamine	5-10	111-40-0	1080 mg/ Kg (Oral-Rat) 1041 mg/ Kg (Dermal, Rabbit)	0.07- 0.3 mg/L(mist) Inh. Rat	
Bisphenol A	3-7	80-05-7	3300 mg/ Kg (Oral-Rat) 3600 mg/ Kg (Dermal-Rabbit)	> 0.255 mg/L (dust) Inh. Rat	
Aromatic Hydrocarbon	1-5	64742-94-5	>6000 mg/ Kg (Oral-Rat) >3160 mg/ Kg (Dermal-Rabbit)	17.1 mg/ L (Inh Rat)	
Tris(dimethylaminomethyl) Phenol	1-3	90-72-2	2169 mg/ Kg (Oral-Rat) 1280 mg/ Kg (Dermal-Rabbit)	Not Available	
Triethylene Tetramine	1-3	112-24-3	4340 mg/ Kg (Oral-Rat) 805 mg/ Kg (Dermal-Rabbit)	Not Available	
		SECTION 4 : FIR	ST-AID MEASURES		
FIRST-AID MEASURES EYE CONTACT SKIN CONTACT		cautiously v easy to do. (Immediately hair): Remo	y call a POISON CENTRE or doctor/p vith water for several minutes. Remov Continue rinsing. y call a POISON CENTRE or doctor/p ve/ Take off immediately all contamin er. If skin irritation or rash occurs: Ge	e contact lenses if present and physician. IF ON SKIN (or nated clothing. Rinse skin with	
INHALATION	water/ shower. If skin irritation or rash occurs: Get medical advice/attention.INHALATIONWash contaminated clothing before reuse.INHALATIONImmediately call a POISON CENTRE or doctor/ physician. IF INHALLED:remove person to fresh air and keep comfortable for breathing. If breathing has stopped give artificial respiration. If breathing is difficult give oxygen by			physician. IF INHALLED: for breathing. If breathing has	
INGESTION		Immediately Rinse mouth	Rinse mouth. DO NOT induce vomiting. Never give anything by mouth to an		
SYMPTOMS AND EFFECTS,	ACUTE OR	unconscious DELAYED	s person.		
EYE CONTACT			ere eye damage.		
SKIN CONTACT	TACT Harmful in contact with skin. May be absorbed through the skin. Corrosive to all tissues. Causes severe skin burns. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. May cause an allergic skin reaction (e.g. swelling, rash and eczema) Allergic symptoms may develop within 12 hours after exposure.			tact may cause corrosive skin carring. May cause an allergic	
INHALATION		Harmful if i cause severe include coug	nhaled. May cause respiratory irritation e irritation to the nose, throat and resp ghing, chest pain and shortness of brea	iratory tract. Symptoms may ath.	
NOTE TO THE PHYSICIAN .		digestive tra cramping ar	In cause irritation and corrosive action act. Symptoms include: Gastrointesting ad diarrhea. Suspected of damaging fe of accidental exposure immediate me	al discomfort, nausea, vomiting, rtility or the unborn child.	
		symptomati	cally.		



SDS-97A
Revised October 20th, 2017

	SAFETY DATA SHEET	Page 3
SECTIO	N 5: FIRE-FIGHTING MEASURES	I ugo o
SUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA	Carbon dioxide (CO ₂), dry chemical or alcohol foam. Do not use a solid water stream as it may scatter and spread f	āro
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	Closed containers may rupture if exposed to excess heat or fl	
FLAMMABILITY CLASSIFICATION	up of internal pressure. Not flammable, according to OSHA 29 CFR 1910.106.	
HAZARDOUS COMBUSTION PRODUCTS	Carbon oxides. Nitrogen oxides, Hydrogen cyanide, Ammon Aldehydes, Ketones and other irritating fumes and smoke.	ia, Amines,
FIRE-FIGHTERS PROTECTIVE EQUIPMENT	Fire-fighters must use standard protective equipment includi coat, helmet with face shield, gloves, rubber boots and in end	closed spaces, fire-
SPECIAL FIRE FIGHTING PROCEDURES	fighters should wear an approved full face, self-contained bro (SCBA) and impervious clothing. Move containers from fire area if safe to do so. Water spray is cooling equipment exposed to heat and flame. Do not allow is firefighting to enter drains or water courses. Dike for water c	may be useful in run-off from the
SECTION 6:	ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY		
PROCEDURES	Restrict access to area until completion of clean-up. Ensure c conducted by trained personnel only. All persons dealing wit wear the appropriate protective equipment including self-con apparatus. Refer to Section 8, EXPOSURE CONTROLS AN PROTECTION, for additional information on acceptable per	h clean-up should tained breathing ID PERSONAL
ENVIRONMENTAL PRECAUTIONS	equipment. Ensure spilled product does not enter drains, sewers, waterwas spaces. For large spills, dike the area to prevent spreading.	ays or confined
METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP	Ventilate the area. Remove all sources of ignition. Stop the s safe to do so. Contain and absorb spilled liquid with non-con absorbent material (e.g. sand). Pick up and transfer to proper containers. Refer to Section 13 for disposal of contaminated	mbustible, inert rly labelled
SPECIAL SPILL RESPONSE PROCEDURES	the proper local authorities. If a spill/ release in excess of the EPA reportable quantity is environment, immediately notify the national response centre States (phone: 1-800-424-8802) or the appropriate local auth	e in the United
SECTIO	N 7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	Obtain special instruction before use. Do not handle until all have been read and understood. Use only outdoors or in a we Persons with recurring skin eczema or sensitization problems from working with this product. Once a person is sensitized, to the material that caused the sensitization should be permitt gloves/ clothing and eye/ face protection. Contaminated worl be allowed out of the workplace. Do not breath dust or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink cosmetics while working with this product. Wash thoroughly Keep containers tightly closed when not in use. Keep away fa and flame. Take precautions to prevent premature mixing of subsequent premature curing.	ell-ventilated area. s should be excluded no further exposure ted. Wear protective k clothing must not Do not ingest. , smoke or use after handling. rom extreme heat
CONDITIONS FOR SAFE STORAGE	Store locked up. Keep containers tightly closed. Store in a we Store away from incompatible materials. Inspect periodically leaks. Storage area should be clearly identified, clear of obstr accessible only to trained and authorized personnel. No smok	for damage or ruction and



SPECIFIC GRAVITY @ 20°C (68°F)

VISCOSITY

VOLATILES (% by WEIGHT) VOC's (Volatile Organic Compounds) SOLUBILITY IN WATER (%W/W)

	SDS-97A	
Revised	October 20th, 2017	

	SAFETY DATA	SHEET		Page 4
SECTION 8: EXPOS	URE CONTROLS	/ PERSONAL	PROTECTION	
EXPOSURE LIMITS:	ACGIH	ITLV	OSHA PEL	
EAT OSURE EIMITS.	TWA	<u>STEL</u>	PEL	STEL
DIETHYLENETRIAMINE	1 ppm (skin)	N/Av	1 ppm (final rule limit)	N/Av
	r ppin (binn)	10110	- pp (
AROMATIC HYDROCARBON	N/Av	N/Av	500 ppm (2000 mg/ m ³)	N/Av
TRIETHYLENETETRAMINE	1 ppm (skin) (AIHA WEEL)	N/Av	N/Av	N/Av
EXPOSURE CONTROLS:				
VENTILATION/ ENGINEERING MEASURES:	occupational expos	ure limits. Where	pply technical measures to comp e reasonably practicable this sho t ventilation and good general ex	ould be
RESPIRATORY PROTECTION	If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29CFR 1910.134) or CSA Z94.4-02. NIOSH approved organic vapour			
SKIN PROTECTION	cartridge respirator respiratory protecti Wear protective glo recommended. Wh	s are recommend on specialists. wes/ clothing. Gl ere extensive exp	led. Advice should be sought fro loves impervious to the material posure to product is possible, use	om l are e resistant
			t contact. The suitability for a s	
EVE/EACE DROTECTION			the producers of the protective	
EYE/ FACE PROTECTION	face shield may also		l splash goggles are recommend	ied. A Iuli
OTHER PROTECTIVE EQUIPMENT			er should be made available in	tha
offick rkoreentve equilment		area. Other equi	pment may be required dependi	
GENERAL HYGIENE CONSIDERATIONS	Do not eat, drink, sr not breath dust or m creams may help to applied once expose before eating, drink	noke or use cosr nist. Avoid conta protect the expo ure has occurred. ing, smoking or ng before re-use	netics while working with this p ct with eyes, skin and clothing. sed areas of skin; they should h Upon completion of work, was use of toilet facilities. Remove a . Contaminated clothing must no	Barrier owever not be sh hands and wash
SECTION 9: PH	YSICAL AND CH	EMICAL PR	OPERTIES	
PHYSICAL STATE APPEARANCE	Liquid Dark brown mobile	liquid		
ODOUR	Amine Odour	nquiu		
ODOUR THRESHOLD	Not available			
pH LEVEL	Not available			
MELTING/ FREEZING POINT	Not available			
BOILING POINT	Not available			
FLASH POINT	Not available			
EVAPORATION RATE	Not available			
FLAMMABILITY	Not applicable			
VAPOUR PRESSURE	Not available			
VAPOUR DENSITY (Air=1) (mg/m3)	Not available			
CDECIEIC CD AVITY @ 200C ((00E)	1.0			

1.0

500 cPs @ 20°C (68°F)

Not available Not available Negligible



SDS-97A Revised October 20th, 2017

	SAFETY DATA SHEET	Page 5
SECTION	10: STABILITY AND REACTIVITY	I uge e
REACTIVITY	Not normally reactive.	_
CHEMICAL STABILITY	Stable under the recommended storage and handling conditions prescrib	ed.
HAZARDOUS REACTIONS	Hazardous polymerization does not occur.	_
CONDITIONS TO AVOID	Avoid heat and open flame. Avoid contact with incompatible materials.	Ensure
	adequate ventilation, especially in confined areas.	
INCOMPATIBLE MATERIALS	Acids. Oxidizing agents. Acid chlorides. Acid anhydrides. Aldehydes. K	Letones.
	Acrylates.	
HAZARDOUS DECOMPOSITION PRODUCTS	Refer to hazardous combustion products, Section 5.	
SECTION 11	I: TOXICOLOGICAL INFORMATION	
LIKELY ROUTES OF EXPOSURE	Inhalation, skin and eye contact, ingestion, skin absorption.	
SIGNS AND SYMPTOMS OF EXPOSURE		
INHALATION	May cause respiratory irritation. If mists are formed, may cause severe i	rritation
	to the nose, throat and respiratory tract. Symptoms may include coughing	
	pain and shortness of breath.	-6,
INGESTION	Ingestion can cause irritation and corrosive action in the mouth, stomac	h and
	digestive tract. Symptoms include: Gastrointestinal discomfort, nausea,	
	vomiting, cramping and diarrhea.	
SKIN CONTACT	Harmful in contact with skin. May be absorbed through the skin. Corros	ive to all
	tissues. Causes severe skin burns. Direct skin contact may cause corrosi	
	burns, deep ulcerations and possibly permanent scarring.	ve skili
EYE CONTACT	Corrosive to eyes. Causes serious eye damage. Direct eye contact may p	vroduce
	severe irritation with possible eye damage.	louuee
CHRONIC HEALTH EFFECTS	Prolonged inhalation may cause adverse lung effects with symptoms inc	Juding
	coughing, mucous production and difficulty breathing.	nuunig
MUTAGENICITY	Not expected to be mutagenic in humans.	
CARCINOGENICITY	No components are listed as carcinogens by ACGIH, IARC, OSHA or N	JTD
REPRODUCTIVE EFFECTS	This material is classified as hazardous under U.S. OSHA regulations (2	
	CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Haz	
	Products Regulations) (WHMIS 2015) Classification: Reproductive Tox	
	Category 2 Suspected of damaging fertility or the unborn child.	licity
SENSITIZATION TO MATERIAL	This material is classified as hazardous under U.S. OSHA regulations (2)	0
SENSITIZATION TO MATERIAL	CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Haz	
	Products Regulations) (WHMIS 2015) Classification: Skin sensitization	
	Category 1A- May cause allergic skin reaction.	-
	Not expected to be a respiratory sensitizer.	
SPECIFIC TARGET ORGAN EFFECTS	Eyes, skin, respiratory system and digestive system.	
STECIFIC TARGET ORGAN EFFECTS	This material is classified as hazardous under U.S. OSHA regulations (2	0
	CFR1910.1200) (Hazcom2012) and Canadian WHMIS regulations (Haz	
	Products Regulations) (WHMIS 2015) Classification: Specific target org	
	toxicity, single exposure- Category 3 May cause respiratory irritation.	3411
	Not classified as specific target organ toxicity- repeated exposure.	
MEDICAL CONDITIONS AGGRAVATED	The classified as specific target organ toxicity-repeated exposure.	
BY OVEREXPOSURE	Pre-existing skin, eye, and respiratory disorders.	
SYNERGISTIC MATERIALS	Not available	
TOXICOLOGICAL DATA	There is no data available for this product.	
INGREDIENTS LD50/ LC50 DATA	Refer to Section 3	
SECTION 12: ECOLOGICAL INFORMATION		
ECOTOXICITY	Not expected to be harmful to aquatic organisms. However, this does not	
	the possibility that large or frequent spills can have a harmful or damagin	
	on the environment. Avoid release to the environment.	
PERSISTANCE AND DEGRADABILITY	No data is available on the product itself.	
BIOACCUMULATION POTENTIAL	No data is available on the product itself.	
MOBILITY IN SOIL	No data is available on the product itself.	



SDS-97A Revised October 20th, 2017

	SAFETY DATA SHEET Page		
SECTION 13: DISPOSAL CONSIDERATIONS			
HANDLING FOR DISPOSAL	Handle in accordance with good industrial hygiene and safety practice. Since emptied containers may retain product residue, follow label warnings even after containers is constilled. Before to product residue, follow label warnings are a set of the set		
METHODS OF DISPOSAL	container is emptied. Refer to protective measures listed in Sections 7 and 8. Dispose in accordance with all applicable federal, state, provincial and local regulations.		
SECTION 14	: TRANSPORTATION INFORMATION		
TDG CLASSIFICATION	Corrosive Liquid N.O.S. UN 1760, Class 8, PG II		
SECTION	15: REGULATORY INFORMATION		
CEPA INFORMATION	All ingredients listed appear on the Domestic Substances List (DSL) Class D, Division 2, Subdivision A&B Class E, Corrosive		
CPR (CANADA) COMPLIANCE	Meets all requirements		
	ON 16: OTHER INFORMATION		
ACGIH IARC	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Resource Conservation and Recovery Act Canadian Environmental Protection Act Controlled Products Regulations Chemical Abstracts Service Personal Protection Equipment Not available		
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 20 th , 2017		

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.