

SDS-34 Revised October 8th, 2017

	SAFETY DATA SHEET Page 1			
SECTION 1: IDENTIFICATION				
PRODUCT NAME: #920 CONCRETE SEALER CLEAR (WATER BASE)				
MANUFACTURER/SUPPLIER:	CPD Construction Products			
	219 Connie Crescent, Unit #13			
	Concord, Ontario Canada L4K 1L4			
24 HOUR EMERGENCY NUMBER:	CANUTEC: (613) 996-6666			
APPLICATION AND USE:	Water based sealer for concrete floors and for curing new concrete floors. This			
	product can be applied by brush, roller or spray. Spraying is the most common			
	method of application.			
PRODUCT DESCRIPTION:	Single component (Water Based) penetrating sealer.			
SECTION 2: HAZARDS INDENTIFICATION				

GHS CLASSIFICATION

Skin irritant, (Category 2); Eye irritant, (Category 2); Specific target organ toxicity (repeated exposure), (Category 2- Lung)



SIGNAL WORD	WARNING H315 Causes skin irritation. H320 Causes eye irritation. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.
PRECAUTIONARY STATEMENTS	
PREVENTION	P280 Wear protective gloves/clothing/eye protection.
	P270 Do not eat, drink or smoke when using this product.
	P260 Do not breath mist/vapours.
RESPONSE	P302+P362+P352 IF ON SKIN: Take off contaminated clothing. Wash with plenty of water.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable for breathing.
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
OTHER HAZARDS	Immediately seek medical advice or attention if symptoms are significant or persist.
	*

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species
Dipropylene Glycol Methyl ether	1-5	34590-94-8	5130mg/Kg. (Oral-Rat) 9500mg/Kg. (Dermal Rabbit)	>500ppm (InhalationRat)
Dipropylene Glycol n-butyl ether	1-5	29911-28-2	1620mg/Kg. (Oral-Rat) 5860mg/Kg. (Dermal Rabbit)	2.4mg/L (InhalationRat)



SDS-34 Revised October 8th, 2017

	SAFETY DATA SHEET	Page 2
SECT	TION 4: FIRST-AID MEASURES	rage 2
FIRST-AID MEASURES		
EYE CONTACT	Immediately flush eyes with water for 15 minutes holding ope	n evelids Seek
LIL CONTACT	immediate medical attention if irritation persists.	ii cyclids. Seek
SKIN CONTACT	Flush with large amounts of water. Use mild soap if available.	. Remove
	severely contaminated clothing (including shoes) and wash be	
INHALATION	Remove victim to fresh air if inhalation of mist occurs. If	
	experienced see physician.	
INGESTION	If victim is still conscious, give 2 glasses of water. Seek	immediate medical
	attention. Never give anything by mouth to an unconscious pe	erson.
ADDITIONAL INFORMATION	In all cases, if irritation persists seek medical attention.	
MOST IMPORTANT SYMPTOMS/ EFFECTS,		
ACUTE OR DELAYED	May cause skin and eye irritation.	
IMMEDIATE MEDICAL ATTENTION AND	Cot modical attention if symptoms account	
SPECIAL TREATMENT NEEDED	Get medical attention if symptoms occur.	
	N 5: FIRE-FIGHTING MEASURES	
GENERAL FIRE HAZARDS	This product is non-combustible, but if temperatures are high e	
21 Jan 1 D. T.	until water is driven off then the remaining resin solids will bu	
SUITABLE EXTINGUISHING MEDIA	Treat for surrounding materials. Use water to extinguish fire o	f polymer solids.
UNSUITABLE EXTINGUISHING MEDIA	No data available.	
SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTERS	A self-contained breathing apparatus should be used for all ind	loon finos
HAZARDOUS COMBUSTION PRODUCTS	Toxic gases may be formed during fire, fumes, carbon oxides.	iooi illes.
	ACCIDENTAL RELEASE MEASURES	
	ACCIDENTAL REDEAGE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY		
PROCEDURES	Area of spill will be slippery. Use care to avoid falling. Stop le	ak and isolate
TROCEDORES	spill. Do not get in eyes, skin or clothing. Use appropriate pers	
	equipment (PPE).	F
ENVIRONMENTAL PRECAUTIONS	Do no flush spilled product into storm sewers, sanitary sewers,	, or water courses.
CONTAINMENT AND CLEAN UP	Soak up the product with dry sand, earth or some other inert m	
SECTIO	ON 7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	Keep containers closed when not in use. Empty product conta	iners may contain
	product residue. Do not reuse to store foodstuffs or drinking v	
	conditions.	•
CONDITIONS FOR SAFE STORAGE	Do not allow this product to freeze. Store under normal wareh	ouse conditions.
	Protect from freezing (min/max: 5/30°C)	
SECTION 8: EXPOS	URE CONTROLS / PERSONAL PROTECTION	
OCCUPATIONAL EXPOSURE LIMITS:	ACGIH OEL OSHA PEL	
DIPROPYLENE GLYCOL METHYL ETHER	TWA 100 ppm (Skin) Not available	
	STEL 150 ppm (Skin)	
APPROPIATE ENGINEERING CONTROL	General dilution and local exhaust as necessary to control airbo	
	mists and thermal decomposition products below appropriate a	airborne
DEDGOMAL DE OTTE CTIVE TO SAVE TO SAVE	concentration standards/guidelines	
PERSONAL PROTECTIVE EQUIPMENT:		•
EYE / TYPE	Chemical safety goggles with side shields if a splash hazard ex	
RESPIRATORY PROTECTION	For operations where inhalation exposure can occur, a NIOSH	approved
SKIN PROTECTION/ GLOVES/ CLOTHING	respirator may be necessary. Wear suitable gloves, e.g., PVC or nitrile rubber.	
SMITTROTECTION GLOVES/ CLOTTIING	Wear adequate protective clothes. Wear long sleeves and trou	sers to prevent
	dermal exposure.	sols to provent
OTHER/TYPE	Portable eye wash stations should be made available at all jobs	s sites.
	3	



SDS-34 Revised October 8th, 2017

	SAFETY DATA SHEET Page 3
SECTION 9: PH	YSICAL AND CHEMICAL PROPERTIES
PHYSICAL STATE	Liquid
APPEARANCE	Milky White Liquid
ODOUR	Slight Ammonia Odour
ODOUR THRESHOLD	Not available
pH LEVEL	9.0
EVAPORATION RATE (n-Butyl Acetate=1)	Not Available
BOILING POINT	>100°C (212°F)
FREEZING POINT	0°C (32°F)
FLASH POINT (deg C), METHOD	Non-combustible
FLAMMABLE LIMITS IN AIR	Not applicable
AUTO IGNITION TEMPERATURE (deg C)	Not applicable
VAPOUR PRESSURE	Not available
VAPOUR DENSITY (Air=1)	>1.0
SOLUBILITY IN WATER	Infinite
SPECIFIC GRAVITY @20°C (68°F)	1.03
VISCOSITY (Brookfield)	10 cPs
% VOLATILE	80%
V.O.C. Content	57 grams/ L
SECTION	10: STABILITY AND REACTIVITY
REACTIVITYCHEMICAL STABILITY	No data available.
	Material is stable under normal use conditions.
POSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur under normal conditions.
CONDITIONS TO AVOIDINCOMPATIBLE MATERIALS	Do not allow the product to freeze.
HAZARDOUS DECOMPOSITION PRODUCTS:	Avoid contact with acidic or basic compounds. Carbon oxides (CO, CO ₂), smoke.
	· · · · · · · · · · · · · · · · · · ·
	: TOXICOLOGICAL INFORMATION
INGREDIENTS LD50/ LC50 DATA	Refer to Section 3.
EXPOSURE ROUTES/ SYMPTOMS AND EFFEC	
INGESTION	May be ingested by accident. Slightly toxic. May produce signs of intoxication
	characterized by dizziness, drowsiness, headache, nausea, mental confusion,
	possible slurred speech and stupor depending on the quantity of material
	ingested. Severe kidney damage results upon ingestion of large volumes of the
INILALIATION	product.
INHALLATION	This product is water based and has very low volatility. No health hazard from inhalation of vapour under normal conditions of use. However, breathing of mist
	may be irritating to the nose and throat. Avoid all inhalation of mist.
EYE CONTACT	Will irritate eyes causing redness and swelling of the conjunctiva on single
LIL CONTACT	severe exposure.
SKIN CONTACT	Brief contact is not irritating but continuous exposure may irritate the skin.
	Prolonged or widespread skin contact may result in the absorption of potentially
	harmful amounts of material.
CARCINOGENICITY OF MATERIAL	This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.
TERATOGENICTIY	Not applicable
MUTAGENICITY	Not applicable
REPRODUCTIVE EFFECTS	Not applicable
SECTION	12: ECOLOGICAL INFORMATION
ECOTOXICITY	No data available.
PERSISTENCE AND DEGRADABILITY	This product is not expected to persist in the environment.
BIOACCUMULATIVE POTENTIAL	No data available.
MOBILITY IN THE SOIL	No data available.



SDS-34 Revised October 8th, 2017

	SAFETY DATA SHEET	Page 4
SECTIO	N 13: DISPOSAL CONSIDERATIONS	
PRODUCT DISPOSAL	Recover and recycle if possible. Otherwise: incineration in a permitted facility. Spilled material and water rinses waste must be disposed of in accordance with current, local, provincial and federal regulations. Do not allow product to enter sewers, streams or lakes.	
WASTE DISPOSAL	Empty, dry containers of this product can be disposed of as r	normai garbage.
SECTION 1	4: TRANSPORTATION INFORMATION	
TDG CLASSIFICATION	Not regulated.	
SECTIO	N 15: REGULATORY INFORMATION	
WHMIS CLASSIFICATION	Class D, Division 2, Subdivision A / Class D, Division 2, Su Meets all requirements.	bdivision B
SEC'	TION 16: OTHER INFORMATION	
ACGIH IARC NTP STEL OEL PEL TLV-TWA OSHA NIOSH MSHA CPR CAS N/Av	American Confederation of Governmental Industrial Hygien International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Occupational Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Controlled Products Regulations Chemical Abstracts Service Not Available	ists
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 8 th , 2017	

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.