

SDS-59 Revised October 8th, 2017

	Revised October 8, 2017			
	SAFETY DATA SHEET	Page 1		
SECTION 1: IDENTIFICATION				
PRODUCT NAME: CPD ASPHALT FIBRE	E EXPANSION JOINT FILLER			
MANUFACTURER/SUPPLIER:	CPD Construction Products 219 Connie Crescent, Unit #13 Concord, Ontario Canada L4K 1L4			
24 HOUR EMERGENCY NUMBER:	CANUTEC: (613) 996-6666 Used in isolation joints for concrete curbs, floor slabs, sidewalks bases.	s and column		
PRODUCT DESCRIPTION:	Wood fibre board impregnated with asphalt.			
SECTION	2: HAZARDS INDENTIFICATION			
No ingredients in this product are classified as hazard	rdous.			
GHS CLASSIFICATION SYMBOL SIGNAL WORD HAZARD STATEMENTS PRECAUTIONARY STATEMENTS	Not classified. No symbol. No signal word. Not applicable. Not applicable.			
	OSITION/INFORMATION ON INGREDIENTS			
Hazardous Ingredients % C.	C.AS. # LD/50, Route, Species LC/50, Ro	oute, Species		
No raw materials in this product are required to be listed as defined by the Hazardous Products Act. This product contains small quantities of mineral spirits solvent. The quantity of solvent in the asphalt impregnated board is below the minimum required to be listed.				
SECT	TION 4: FIRST-AID MEASURES			
FIRST-AID MEASURES EYE CONTACT SKIN CONTACT SYMPTOMS AND EFFECTS	Flush eyes with water for at least 15 minutes holding eyelids opparticles are not dislodged with this method see physician. Wash with soap and water. If irritation persists see physician.			
SKIN CONTACT	When board is being cut in the field, fibre particles generated du cause mechanical irritation of the eyes. No known hazard, however, certain hypersensitive individuals references to the control of the eyes.			
	rash on hands and arms from excessive exposure to this board.			
IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	In all cases, if irritation occurs and persists, seek immediate me	dical attention.		
SECTION	N 5: FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	Use extinguisher measures and media that are appropriate to the circumstances and the surrounding environment. Use water spra exposed surfaces and to protect personnel. Use foam or dry che extinguish fire.	ay to cool fire		
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Asphalt impregnated fibre will burn under the conditions of suff	icient oxygen		
HAZARDOUS COMBUSTION PRODUCTS SPECIAL PROTECTIVE EQUIPMENT AND	supply and high temperatures. Toxic gases will form upon combustion.			
PRECAUTIONS FOR FIRE-FIGHTERS	A self-contained breathing apparatus should be worn by fire figlindoor and outdoor fires.	nters for all		
SECTION 6: ACCIDENTAL RELEASE MEASURES				
LEAK / SPILL	Not applicable.			



SDS-59 Revised October 8th, 2017

	GAFFETY DATE A CHIFFET	D 0		
SECTIO	SAFETY DATA SHEET ON 7: HANDLING AND STORAGE	Page 2		
HANDLING PROCEDURES	Practice good personal hygiene when working with asphalt impregna	nted fibre		
HANDEING I ROCEDORES	board. Wash hands thoroughly after handling.	iled Hore		
STORAGE NEEDS	Product is not damaged by freezing or rain. May be stored indoor or	outdoor.		
	URE CONTROLS / PERSONAL PROTECTION	0414001.		
EXPOSURE LIMITSPROTECTIVE EQUIPMENT:	No data available.			
EYE / TYPE	Safety glasses with side shields.			
RESPIRATORY / TYPE	If workmen are cutting fibre in the field they should wear a dust mast	k to prevent		
	inhalation of the airborne fibre.	-		
GLOVES / TYPE	Wear suitable work gloves.			
CLOTHING / TYPE FOOTWEAR / TYPE	Wear adequate protective clothes. Safety boots per local regulations.			
	IYSICAL AND CHEMICAL PROPERTIES			
PHYSICAL STATE	Solid			
VAPOUR PRESSURE (mmHg) VISCOSITY	Not applicable Not applicable			
FREEZING POINT	Not applicable Not applicable			
VAPOUR DENSITY (AIR=1)	Not applicable			
SPECIFIC GRAVITY @20°C (68°F)	1.0			
BOILING POINT	Not available			
SOLUBILITY IN WATER	Not applicable			
APPEARANCEODOUR	Black Semi-Rigid Fibrous Board Negligible			
pH LEVEL	Not applicable			
% VOLATILE	<1.0%			
EVAPORATION RATE (N-BUTYLACETATE=1)) Not available			
SECTION	10: STABILITY AND REACTIVITY			
REACTIVITY	Product is extremely stable.			
CHEMICAL STABILITY	Material is stable under normal conditions.			
POSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur.			
INCOMPATIBILITYHAZARDOUS PRODUCTS OF	Strong oxidizing agents, sources of ignition and sources of heat.			
DECOMPOSITION	None. Extremely stable product.			
SECTION 11	1: TOXICOLOGICAL INFORMATION			
ACUTE ORAL TOXICITY (LD50)	No data available.			
IRRITANCY OF MATERIAL	Not available.			
CARCINOGENICITY OF MATERIAL	This product is not listed by NTP, IARC or regulated as a carcinogen	by OSHA.		
TERATOGENICITY	Not available.			
MUTAGENICITYREPRODUCTIVE EFFECTS	Not available. Not available.			
	12: ECOLOGICAL INFORMATION			
ECOTOXICITY PERSISTANCE AND DEGRADABILITY	No data available. No data available.			
BIOACCUMULATIVE POTENTIAL	No data available.			
MOBILITY IN THE SOIL	No data available.			
OTHER ADVERSE EFFECTS	No data available.			
SECTION 13: DISPOSAL CONSIDERATIONS				
WASTE DISPOSAL	Dispose of waste as normal garbage; no special precautions required.			



SDS-59 Revised October 8th, 2017

	SAFETY DATA SHEET	Page 3	
SECTION 14: TRANSPORTATION INFORMATION			
TDG CLASSIFICATION	Not regulated.		
SECTION 15: REGULATORY INFORMATION			
WHMIS CLASSIFICATION	Not controlled.		
SECTION 16: OTHER INFORMATION			
ACGIH IARC NTP STEL OEL PEL TLV-TWA TWAEV OSHA CPR CAS PPE N/Av	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Occupational Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Time-Weighted Average Exposure Value Occupational Safety and Health Administration Controlled Products Regulations Chemical Abstract Services Personal Protection Equipment Not available		
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 8 th , 2017		

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.