

SDS-399 Revised October 8th, 2017

	SAFETY DATA SHEET Page 1			
SE	CTION 1: IDENTIFICATION			
PRODUCT NAME: CIPADECK ° CURE & SEAL WB (CLEAR & COLORED)				
MANUFACTURER/SUPPLIER:				
	219 Connie Crescent, Unit #13			
24 HOUR EMERGENCY NUMBER:	Concord, Ontario Canada L4K 1L4 CANUTEC: (613) 996-6666			
APPLICATION AND USE:	Water based sealer for concrete floors and for curing new concrete floors. This			
THE ELECTION THE USE.	product can be applied by brush, roller or spray. Spraying is the most common			
	method of application.			
PRODUCT DESCRIPTION:	Single component (Water Based) penetrating sealer.			
SECTION	2: HAZARDS INDENTIFICATION			
GHS CLASSIFICATION	Skin irritant, (Category 2); Eye irritant, (Category 2);			
GIIS CLASSII ICATION	Specific target organ toxicity (repeated exposure), (Category 2- Lung)			
	•			
	•			
GIGNAL WORD	WARNING			
SIGNAL WORDHAZARD STATEMENTS	WARNING H315 Causes skin irritation.			
HAZARD STATEMENTS	H320 Causes eye irritation.			
	H335 May cause respiratory irritation.			
	H373 May cause damage to organs through prolonged or repeated exposure.			
PRECAUTIONARY STATEMENTS				
PREVENTION	P280 Wear protective gloves/clothing/eye protection.			
	P270 Do not eat, drink or smoke when using this product.			
RESPONSE	P260 Do not breath mist/vapours.			
KESPUNSE	P302+P362+P352 IF ON SKIN: Take off contaminated clothing. Wash with plenty of water.			
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.			
	Remove contact lenses, if present and easy to do. Continue rinsing.			
	P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable			
	for breathing.			
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting			
OTHER HAZARDS	Immediately seek medical advice or attention if symptoms are significant or			

Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species
Dipropylene Glycol Methyl ether	1-5	34590-94-8	5130 mg/ Kg (Oral-Rat) 9500 mg/ Kg (Dermal Rabbit)	>500 ppm (InhalationRat)
Dipropylene Glycol n-butyl ether	1-5	29911-28-2	1620 mg/ Kg (Oral-Rat) 5860 mg /Kg (Dermal Rabbit)	2.4 mg/L (InhalationRat)

persist.



SDS-399 Revised October 8th, 2017

SECTION 4 : FIRST-AID MEASURES EYE CONTACT Immediately flush eyes with water for 15 minutes holding open eyelids. Seek immediate medical attention if irritation persists. SKIN CONTACT. Flush with large amounts of water. Use mild soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. Never give anything by mouth to an unconscious person. In GESTION If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In GESTION If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In GESTION If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In GESTION If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. MOST IMPORTANT SYMPTOMS: EFFECTS. ACUTE OR DELAYED MMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED GENERAL FIRE HAZARDS. This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. SUITABLE EXTINGUISHING MEDIA. The store surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTERS. A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES. SIDING NORMENTAL PRECAUTIONS. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do not get in eyes, skin or clothing. Use appropri							
ERST-AID MEASURES EYE CONTACT Immediately flush eyes with water for 15 minutes holding open eyelids. Seek immediate medical attention if irritation persists. Flush with large amounts of water. Use mild soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS EFFECTS, ACUTE OR DELAYED. MACUTE OR DELAYED. MAY cause skin and eye irritation. MEALATION Get medical attention if symptoms occur. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS. This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SECTION 5: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS PRODUCTS. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES. SECTION 7: HANDLING AND STORAGE ENVIRONMENTAL PRECAUTIONS DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO not get in eyes, skin or clothing. Use appropriate personal protection equipmen	an am	SAFETY DATA SHEET Page 2					
EYE CONTACT Immediately flush eyes with water for 15 minutes holding open eyelids. Seek immediate medical attention if irritation persists. Flush with large amounts of water. Use mild soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh art i finialation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS EFFECTS, ACUTE OR DELAYED	SECTION 4 : FIRST-AID MEASURES						
immediate medical attention if irritation persists. Flush with large amounts of water. Use mild soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE OR DELAYED MEMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED Get medical attention if symptoms occur. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS GENERAL FIRE HAZARDS GENERAL FIRE HAZARDS SUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses, Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING SECTION 8: EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACCIHOEL APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	FIRST-AID MEASURES						
Flush with large amounts of water. Use mild soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELLAYED. May cause skin and eye irritation. May cause skin and eye irritation. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS. Until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SECTION 6: ACCIDENTAL RELEASE MEASURES FIRE FIGHTERS. A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES. Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing, Use appropriate personal protection equipment (PPE). ENVIRONMENTAL PRECAUTIONS Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C)	EYE CONTACT						
severely contaminated clothing (including shoes) and wash before reuse. Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS GENERAL FIRE HAZARDS GENERAL FIRE HAZARDS GENERAL FIRE HAZARDS This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTING MEASURES GENERAL FIRE HAZARDS This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTING MEASURES FIRE FIGHTING MEASURES This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTING MEASURES FIRE FIGHTING MEASURES This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECTION 6: ACCIDENTAL RELEASE MEASURES A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxid	SKIN CONTACT						
Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician. If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED MMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED. MEMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS SUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA UNSU	SKIN CONTACT						
If victim is still conscious, give 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED MMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS SUITABLE EXTINGUISHING MEDIA UNSUITABLE E	INHALATION						
attention. Never give anything by mouth to an unconscious person. In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED. MAY cause skin and eye irritation. MIMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS. This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. NO data available. SPECIAL PROTECTION EQUIPMENT FOR FIGHTERS. A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES. Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING. SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER. APPROPIATE ENGINEERING CONTROL. OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER. APPROPIATE ENGINEERING CONTROL. General dilution and local exhaust as necessary to control airborne vapours or							
ADDITIONAL INFORMATION In all cases, if irritation persists seek medical attention. MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED Get medical attention if symptoms occur. MEMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED Get medical attention if symptoms occur. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). DO no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE CONTROLS / PERSONAL PROTECTION SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER STEL 150 ppm (Skin) Not available STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	INGESTION						
MOST IMPORTANT SYMPTOMS/ EFFECTS, ACUTE OR DELAYED. May cause skin and eye irritation. MMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED Get medical attention if symptoms occur. SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS. This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTIES. HAZARDOUS COMBUSTION PRODUCTS. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES. Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) General dilution and local exhaust as necessary to control airborne vapours or	ADDITIONAL INFORMATION						
MMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED		in an eases, if irritation persists seek medical attention.					
SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS	ACUTE OR DELAYED	May cause skin and eye irritation.					
SECTION 5: FIRE-FIGHTING MEASURES GENERAL FIRE HAZARDS	IMMEDIATE MEDICAL ATTENTION AND						
This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. SUITABLE EXTINGUISHING MEDIA	SPECIAL TREATMENT NEEDED	Get medical attention if symptoms occur.					
UNSUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTERS HAZARDOUS COMBUSTION PRODUCTS SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES ENVIRONMENTAL PRECAUTIONS ENVIRONMENTAL PRECAUTIONS Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PRECAUTIONS, PROTECTIVE explicitly apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PRECAUTIONS FOR SAFE HAND EMERGENCY Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER A self-container day available storm of the product to freeze. Store under normal warehouse conditio	SECTIO	N 5: FIRE-FIGHTING MEASURES					
Treat for surrounding materials. Use water to extinguish fire of polymer solids. No data available. SPECIAL PROTECTION EQUIPMENT FOR FIRE FIGHTERS A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING SECTION 5: Exposure conditions. CONDITIONS FOR SAFE STORAGE Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER TWA 100 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	GENERAL FIRE HAZARDS						
UNSUITABLE EXTINGUISHING MEDIA							
A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES							
A self-contained breathing apparatus should be used for all indoor fires. Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER TWA 100 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or		No data available.					
HAZARDOUS COMBUSTION PRODUCTS Toxic gases may be formed during fire, fumes, carbon oxides. SECTION 6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		A self-contained breathing apparatus should be used for all indoor fires.					
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	HAZARDOUS COMBUSTION PRODUCTS						
Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). ENVIRONMENTAL PRECAUTIONS	SECTION 6:	ACCIDENTAL RELEASE MEASURES					
Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). ENVIRONMENTAL PRECAUTIONS	PERSONAL PRECALITIONS PROTECTIVE						
Area of spill will be slippery. Use care to avoid falling. Stop leak and isolate spill. Do not get in eyes, skin or clothing. Use appropriate personal protection equipment (PPE). ENVIRONMENTAL PRECAUTIONS							
equipment (PPE). Do no flush spilled product into storm sewers, sanitary sewers, or water courses. Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL DIPROPYLENE GLYCOL METHYL ETHER TWA 100 ppm (Skin) STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	PROCEDURES						
ENVIRONMENTAL PRECAUTIONS							
Soak up the product with dry sand, earth or some other inert materials. SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) STEL 150 ppm (Skin) General dilution and local exhaust as necessary to control airborne vapours or	ENVIDONMENTAL DDECALITIONS	4 4 • • • •					
SECTION 7: HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or							
PRECAUTIONS FOR SAFE HANDLING Keep containers closed when not in use. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions. Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or							
product residue. Do not reuse to store foodstuffs or drinking water under any conditions. CONDITIONS FOR SAFE STORAGE							
conditions. Do not allow this product to freeze. Store under normal warehouse conditions. Protect from freezing (min/max: 5/30°C) SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	PRECAUTIONS FOR SAFE HANDLING						
CONDITIONS FOR SAFE STORAGE							
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) Not available STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	CONDITIONS FOR SAFE STORAGE						
OCCUPATIONAL EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER ACGIH OEL TWA 100 ppm (Skin) STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or		Protect from freezing (min/max: 5/30°C)					
DIPROPYLENE GLYCOL METHYL ETHER TWA 100 ppm (Skin) Not available STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION						
DIPROPYLENE GLYCOL METHYL ETHER TWA 100 ppm (Skin) Not available STEL 150 ppm (Skin) APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	OCCUPATIONAL EXPOSURE LIMITS:	ACGIH OEL OSHA PEL					
APPROPIATE ENGINEERING CONTROL General dilution and local exhaust as necessary to control airborne vapours or	DIPROPYLENE GLYCOL METHYL ETHER \dots	TWA 100 ppm (Skin) Not available					
	A DDD ODLATE ENGREEDING GOVERNO						
migte and thornal decommendation and direct helevy commensate sinks and	APPROPIATE ENGINEERING CONTROL						
mists and thermal decomposition products below appropriate airborne concentration standards/guidelines							
	PERSONAL PROTECTIVE EQUIPMENT:	concentration summing Surdenines					
EYE / TYPE Chemical safety goggles with side shields if a splash hazard exists.	EYE / TYPE						
RESPIRATORY PROTECTION For operations where inhalation exposure can occur, a NIOSH approved	RESPIRATORY PROTECTION	For operations where inhalation exposure can occur, a NIOSH approved					
respirator may be necessary.	CANDA DE CARROLLA CALCALA CALC						
SKIN PROTECTION/ GLOVES/ CLOTHING Wear suitable gloves, e.g., PVC or nitrile rubber. Wear adequate protective clothes. Wear long sleeves and trousers to prevent	SKIN PROTECTION/ GLOVES/ CLOTHING						
dermal exposure.							
•	OTHER/TYPE						



SDS-399 Revised October 8th, 2017

	SAFETY DATA SHEET Page 3					
SECTION 9: PH	HYSICAL AND CHEMICAL PROPERTIES					
PHYSICAL STATE APPEARANCE	Liquid Milky White or Coloured Liquid					
ODOUR	Slight Ammonia Odour					
ODOUR THRESHOLD	Not available					
	9.0					
PH LEVEL	2.10					
EVAPORATION RATE (n-Butyl Acetate=1)	Not Available					
BOILING POINT	>100°C (212°F)					
FREEZING POINT	0°C (32°F)					
FLASH POINT (deg C), METHOD	Non-combustible					
FLAMMABLE LIMITS IN AIR	Not applicable					
AUTO IGNITION TEMPERATURE (deg C)	Not applicable					
VAPOUR PRESSURE	Not available					
VAPOUR DENSITY (Air=1)	>1.0					
SOLUBILITY IN WATER	Infinite					
SPECIFIC GRAVITY @20°C (68°F)	1.03 Clear/ 1.12 Coloured					
VISCOSITY (Brookfield)	10 cPs Clear/ 300 cPs Coloured					
% VOLATILE	80% Clear / 65% Coloured					
V.O.C. Content	< 150 grams/ L					
SECTION	10: STABILITY AND REACTIVITY					
REACTIVITY	No data available.					
CHEMICAL STABILITY	Material is stable under normal use conditions.					
POSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur under normal conditions.					
CONDITIONS TO AVOID	Do not allow the product to freeze.					
INCOMPATIBLE MATERIALS	Avoid contact with acidic or basic compounds.					
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon oxides (CO, CO ₂), smoke.					
	1: TOXICOLOGICAL INFORMATION					
ACUTE ORAL TOXICITY (LD50)	Refer to Section 3.					
EXPOSURE ROUTES/ SYMPTOMS AND EFFEC						
INGESTION	May be ingested by accident. Slightly toxic. May produce signs of intoxication					
	characterized by dizziness, drowsiness, headache, nausea, mental confusion,					
	possible slurred speech and stupor depending on the quantity of material					
	ingested. Severe kidney damage results upon ingestion of large volumes of the					
DATE AND A TRACK	product.					
INHALLATION	This product is water based and has very low volatility. No health hazard from					
	inhalation of vapour under normal conditions of use. However, breathing of					
EVE COVERA CE	mist may be irritating to the nose and throat. Avoid all inhalation of mist.					
EYE CONTACT	Will irritate eyes causing redness and swelling of the conjunctiva on single					
avar a a a mar	severe exposure.					
SKIN CONTACT	Brief contact is not irritating but continuous exposure may irritate the skin.					
	Prolonged or widespread skin contact may result in the absorption of potentially					
	harmful amounts of material.					
CARCINOGENICITY OF MATERIAL	This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.					
TERATOGENICITY	Not applicable					
MUTAGENICITY	Not applicable					
REPRODUCTIVE EFFECTS	Not applicable					
SECTION 12: ECOLOGICAL INFORMATION						
ECOTOXICITY	No data available.					
PERSISTENCE AND DEGRADABILITY	This product is not expected to persist in the environment.					
BIOACCUMULATIVE POTENTIAL	No data available.					
MOBILITY IN THE SOIL	No data available.					



SDS-399 Revised October 8th, 2017

	SAFETY DATA SHEET	Page 4			
SECTION 13: DISPOSAL CONSIDERATIONS					
PRODUCT DISPOSAL	Recover and recycle if possible. Otherwise: incineration in a permit Spilled material and water rinses waste must be disposed of in according current, local, provincial and federal regulations. Do not allow product sewers, streams or lakes. Empty, dry containers of this product can be disposed of as normal	rdance with uct to			
SECTION 14:	TRANSPORTATION INFORMATION				
TDG CLASSIFICATION	Not regulated.				
SECTION :	15: REGULATORY INFORMATION				
WHMIS CLASSIFICATION	Class D, Division 2, Subdivision A / Class D, Division 2, Subdivision Meets all requirements	on B			
SECTION	ON 16: OTHER INFORMATION				
ACGIH IARC NTP STEL OEL PEL TLV-TWA OSHA NIOSH MSHA CPR CAS N/Av	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Occupational Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Controlled Products Regulations Chemical Abstracts Service Not Available				
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 8 th , 2017				

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.