

SDS-258 Revised October 3rd, 2018

	SAFETY DATA SHEET	Page 1	
SECTION 1: IDENTIFICATION			
PRODUCT NAME: CPD CABLE GROUT			
MANUFACTURER/SUPPLIER:	CPD Construction Products 219 Connie Crescent, Unit #13 Concord, Ontario Canada L4K 1L4		
24 HOUR EMERGENCY NUMBER:	CANUTEC: (613) 996-6666 A high-performance neat grout used for post-tensioned cables and ducts.		
SECTION 2: HAZARDS INDENTIFICATION			

GHS CLASSIFICATION Skin irritation (Category 2); Serious eye of

Skin irritation (Category 2); Serious eye damage (Category 1); Carcinogenicity (Category 1A-Inhalation); Specific target organ systemic toxicity-single exposure (Category 3- Respiratory system); Specific target organ systemic toxicity-repeated exposure (Category 1-Lungs)







SIGNAL WORD	DANGER
HAZARD STATEMENTS	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H335 May cause respiratory irritation.
	H350 May cause cancer by inhalation.
	H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.
PRECAUTIONARY STATEMENTS	
PREVENTION	P202 Do not handle until all safety precautions have been read and understood.
	P260 Do not breath dust.
	P264 Wash skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/ eye protection/face protection.
	P281 Use personal protective equipment as required.
RESPONSE	P302+P352 IF ON SKIN: wash with plenty of soap and water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 IF exposed or concerned: Get medical advice/ attention.
	P310 Immediately call a POISON CENTER/ doctor.
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P362 Take off contaminated clothing and wash before reuse.

			<u> </u>	
SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species
Portland Cement (Hydraulic Cement)	60-100	65997-15-1	Not Available	Not Available



SDS-258 Revised October 3rd, 2018

	SAFETY DATA SHEET Page 2	!		
SECTI	ION 4 : FIRST-AID MEASURES			
FIRST-AID MEASURES				
EYE CONTACT	Flush eyes with lukewarm water for at least 15 minutes holding eye lids open. If irritation persists see a physician.			
SKIN CONTACT	Wash with soap and water and remove contaminated clothing. Wash clothing separately prior to reuse. If irritation persists, get medical attention.			
INHALATIONINGESTION	Remove victim to fresh air. Consult a physician after significant exposure.			
INGESTION	poison control centre immediately. Never give anything by mouth to an unconscious person. Obtain medical attention.			
SYMPTOMS AND EFFECTS				
EYE CONTACT	Mild irritation and discomfort, may cause excessive lachrymation or serious eye damage.	Э		
SKIN CONTACT	Irritation may occur. Prolonged or repeated contact may result in skin sensitization and dermatitis.			
INHALATION	Prolonged inhalation may result in respiratory irritation, coughing. May cause cancer by inhalation.			
	May cause damage to organs through prolonged or repeated exposure.			
SECTION	N 5: FIRE-FIGHTING MEASURES			
FLAMMABILITY CLASSIFICATION	Not flammable or combustible.			
SENSITIVITY OF STATIC DISCHARGE	Not applicable.			
SUITABLE EXTINGUISHING MEDIA	This product will not burn. Use the medium appropriate to the surrounding fire.			
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained breathing apparatus and protective clothing if necessary Use self-contained breathing apparatus and protective clothing for large fires.			
HAZARDOUS COMBUSTION PRODUCTS				
SECTION 6: A	ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS	Use personal protective equipment. Avoid dust formation. Avoid breathing dust	i.		
ENVIRONMENTAL PRECAUTIONS	Ensure adequate ventilation. Do not let product enter drains. Do not flush into surface water or sanitary sewer	r		
CLEAN-UP METHODS	system. Pick-up and arrange disposal without creating dust. Sweep up and shovel using			
	dust retarding floor sweeping compound. Keep in closed containers for disposal			
SECTIO	N 7: HANDLING AND STORAGE			
HANDLING PROCEDURES	Avoid contact with skin and eyes. Avoid formation of dust and dust inhalation. Provide appropriate exhaust ventilation in places where dust is formed			
STORAGE NEEDS	Store in original labelled container, tightly closed and in a dry, well-ventilated			
	place.			
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
EXPOSURE LIMITS (respirable fraction in air): PORTLAND CEMENT	OSHA- PEL, ACGIH-TLV, NIOSH 5 mg/m³ (TWA)			
PROTECTIVE EQUIPMENT:				
EYE / TYPE	Safety eyewear should be used when a risk assessment indicates as necessary.			
RESPIRATORY PROTECTION	Avoid breathing dust. For operations where inhalation exposure can occur, a NIOSH approved respirator may be necessary.			
SKIN/ BODY PROTECTION	Wear protective clothes; long sleeves and trousers to prevent dermal exposure.			
OTHER / TYPE	Eyewash fountain. Emergency shower should be in close proximity.			
VENTILATION REQUIREMENTS	General dilution and local exhaust as necessary to control airborne dusts below appropriate airborne concentration standards/guidelines.			



SDS-258 Revised October 3rd, 2018

	SAFETY DATA SHEET Page 3			
SECTION 9: PH	YSICAL AND CHEMICAL PROPERTIES			
PHYSICAL STATE	Powder			
VAPOUR PRESSURE	Not applicable			
VISCOSITY	Not applicable			
VAPOUR DENSITY (AIR=1)	Not applicable			
SPECIFIC GRAVITY @20°C (68°F)	2.0			
BOILING POINT	Not applicable			
SOLUBILITY IN WATER	<1.0%			
APPEARANCE	Light Grey Powder			
ODOUR	None			
pH LEVEL	12.5 @ 20°C (68°F) (Aqueous Solution)			
% VOLATILE	Not applicable			
EVAPORATION RATE (N-BuAc=1)	Not applicable			
SECTION	10: STABILITY AND REACTIVITY			
CHEMICAL STABILITY	Product is stable.			
POSSIBLE HAZARDOUS REACTIONS	Hazardous polymerization will not occur under normal storage conditions.			
CONDITIONS TO AVOID	Do not allow the product to get wet as it will harden. Store in a dry place.			
INCOMPATIBLE MATERIALS	No data available.			
HAZARDOUS DECOMPOSITION PRODUCTS:	Product is stable, hazardous decomposition will not occur.			
SECTION 11	: TOXICOLOGICAL INFORMATION			
INGREDIENTS LD50/ LC50 DATA	Refer to Section 3.			
ROUTES OF EXPOSURE:				
EYE CONTACT	Irritating			
SKIN CONTACT	Frequent or prolonged contact may irritate the skin, low toxicity.			
INHALATION (ACUTE)	Prolonged or repeated exposure may cause allergic reactions in certain sensitive			
	individuals.			
CARCINOGENICITY OF MATERIAL	May cause cancer by inhalation.			
TERATOGENICITY	No data available.			
MUTAGENICITY	No data available.			
REPRODUCTIVE EFFECTS	No data available.			
OTHER	The dust product may be harmful if inhaled. Causes respiratory tract irritation.			
	Prolonged exposure can cause silicosis. May be harmful if swallowed. Causes			
	skin and eye irritation.			
SIGNS AND SYMPTOMS OF EXPOSURE	Coughing, skin rash, allergic dermatitis.			
SECTION	12: ECOLOGICAL INFORMATION			
ECOTOXICITY	No data available.			
PERSISTENCE AND DEGRADABILITY	No data available.			
BIOACCUMULATIVE POTENTIAL	No data available.			
MOBILITY IN THE SOIL	No data available.			
OTHER EFFECTS	No data available.			
SECTION	13: DISPOSAL CONSIDERATIONS			
PRODUCT DISPOSAL	Disposal of this product should comply with the requirements of environmental			
	protection and waste disposal legislation in place.			
	Do not allow product to enter sewers, streams or lakes.			
WASTE DISPOSAL	Empty containers of this product can be disposed of as normal garbage.			
SECTION 14: TRANSPORTATION INFORMATION				
TDG CLASSIFICATION Not regulated.				
TOO CLASSIFICATION	not regulated.			



SDS-258 October 3rd, 2018

	SAFETY DATA SHEET	Page 4		
SECTION 15: REGULATORY INFORMATION				
WHMIS CLASSIFICATION	Class E (Portland Cement)			
CPR (CANADA) COMPLIANCE	Meets all requirements.			
SECTION 16: OTHER INFORMATION				
ACGIH IARC NTP STEL PEL TLV-TWA OSHA NIOSH MSHA CPR CAS PPE N/A	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Controlled Products Regulations Chemical Abstracts Service Personal Protection Equipment Not available			
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 3 rd , 2018			

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.