

IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT NEEDED

SDS-506 Revised October 8th, 2017

SAFETY DATA SHEET Page SECTION 1: IDENTIFICATION			Revised Oct	tober 8 th , 2017			
PRODUCT NAME: CIPADECK® LP MANUFACTURER/SUPPLIER: CPD Construction Products 219 Connie Crescent, Unit #13 219 Connie Crescent, Unit #13 24 HOUR EMERGENCY NUMBER: CANUTEC: (613) 996-6666 APPLICATION AND USE: Spray / roller applied liquid penetrating concrete hardener. Aqueous solution of Potassium Lithium Silicate. SECTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION SECTION SECTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION SECTION SECTION SECTION SECTION SECTION 1 HAZARDS INDENTIFICATION GHAZARD STATEMENTS H300 Harmful if swallowed. H315 Causes skin irritation. H320 Causes eye irritation. H320 Causes					Page 1		
MANUFACTURER/SUPPLIER: CPD Construction Products 219 Connie Crescent, Unit #13 Concord, Ontario Canada L4K IL4 24 HOUR EMERGENCY NUMBER: CANUTEC: (G13) 996-66666 APPLICATION AND USE: Spray / roller applied liquid penetrating concrete hardener. Aqueous solution of Potassium Lithium Silicate. SECTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION Eye irritation - Category 1 WARNING HAZARD STATEMENTS PRECAUTIONARY STATEMENTS PRECAUTIONARY STATEMENTS PREVENTION P102 Keep out of reach of children P262 Do not get in eyes, on skin or on clothing P260 Wear protective glowes/ protective clothing/ eye protection/ face protect P264 Wash hands thoroughly after handling. RESPONSE P303+P351+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing, Rinse skin with water/shower. P303+P351+P338 IF IN EYES: Rinse cautiously with water for several minu Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P337+P313 if eye irritation persists: Get medical advice/ attention. P37+P313 if eye irritation persists: Get medical advice/ attention. P37+P313 if eye irritation persists: Get medical attention if e			SECTION 1: ID	ENTIFICATION			
219 Connie Crescent, Unit #13 Concord, Ontario Canada L4K IL4 24 HOUR EMERGENCY NUMBER: CANUTEC: (613) 996-6666 APPLICATION AND USE: Spray / roller applied liquid penetrating concrete hardener. APPLICATION AND USE: Applied liquid penetrating concrete hardener. APPLICATION AND USE: SecTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION Eye irritation - Category 1 SIGNAL WORD BY WARNING HAZARD STATEMENTS H302 Harmful if swallowed. H315 Causes skin irritation. H320 Causes eye	PRODUCT NAME: CIPA	ADECK® LP					
24 HOUR EMERGENCY NUMBER: Spray / roller applied liquid penetrating concrete hardener. Aqueous solution of Potassium Lithium Silicate. SECTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION Eye irritation - Category 1 SIGNAL WORD HAZARDS INDENTIFICATION SIGNAL WORD HAZARDS INDENTIFICATION SIGNAL WORD HAJOR	MANUFACTURER/SUPPLIE	CR:	219 Connie	Crescent, Unit #13			
SECTION 2: HAZARDS INDENTIFICATION GHS CLASSIFICATION Eye irritation - Category 1 SIGNAL WORD WARNING HAZARD STATEMENTS H302 Harmful if swallowed. H315 Causes skin irritation. H320 Causes eye irritation. H320 Causes eye irritation. H320 Do not get in eyes, on skin or on clothing P260 Wear protective clothing/ eye protection/ face protect P264 Wash hands thoroughly after handling. RESPONSE P303-P361+P335: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P303-P351-P338: IF IN EYES: Rinse cautiously with water for several minu Remove contact lenses, if present and easy to do. Continue rinsing. P332-P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If skin irritation persists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical advice/ attention. P337+P313 If skin irritation porsists: Get medical attention if eye irritation occurs, more protective portion protective portion protective portion protective portion protective portion protective protective portion protective portion protective portion protective portion protective portion protective protective portion pro	APPLICATION AND USE:		CANUTEC: Spray / roller	CANUTEC: (613) 996-6666 Spray / roller applied liquid penetrating concrete hardener.			
SIGNAL WORD	TRODUCT DESCRIPTION		<u> </u>		cate.		
SIGNAL WORD	CHC CLASSIEICATION						
HAZARD STATEMENTS			<	!			
PRECAUTIONARY STATEMENTS PREVENTION P102 Keep out of reach of children P262 Do not get in eyes, on skin or on clothing P280 Wear protective gloves/ protective clothing/ eye protection/ face protect P264 Wash hands thoroughly after handling. RESPONSE P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minu Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention. P337+P313 If eye irritation Possess of the medical advice/ attention occurs. P332+P313 If skin irritation occurs of the medical attention if eye irritation occurs. P405 P505 P505 P505 P505 P505 P505 P505			H302 Harmf H315 Causes	s skin irritation.			
PREVENTION	PRECAUTIONARY STATEM	MENTS	H320 Causes	s eye irritation.			
SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS Hazardous Ingredients			P262 Do not P280 Wear p P264 Wash I P303+P361+ contaminated P305+P351+ Remove con P332+P313	get in eyes, on skin or on cloth protective gloves/ protective clonands thoroughly after handling a P353: IF ON SKIN (or hair): It clothing. Rinse skin with wat a P338 IF IN EYES: Rinse cautitact lenses, if present and easy of skin irritation occurs: Get me	othing/ eye protection/ face protection g. Remove/Take off immediately all eer/shower. ously with water for several minutes to do. Continue rinsing. edical advice/ attention.		
Hazardous Ingredients%C.AS. #LD/50, Route, SpeciesLC/50, Route, SpeciesSilicic acid, Potassium Salt; Potassium Silicate5 - 101312-76-1Not EstablishedNot EstablishedSilicic acid, Lithium Salt; Lithium Silicate1 - 312627-14-4Not EstablishedNot EstablishedSECTION 4 : FIRST-AID MEASURESEYE CONTACTFlush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs.SKIN CONTACTRemove contaminated clothing. Wash with plenty of running water.INHALATIONAvoid breathing mist. May cause respiratory irritation. If irritation occurs, more	OTHER HAZARDS		Spilled mate	rial may be slippery. Dries to for	orm a glass film which may cut skin.		
Hazardous Ingredients%C.AS. #LD/50, Route, SpeciesLC/50, Route, SpeciesSilicic acid, Potassium Salt; Potassium Silicate5 - 101312-76-1Not EstablishedNot EstablishedSilicic acid, Lithium Salt; Lithium Silicate1 - 312627-14-4Not EstablishedNot EstablishedSECTION 4 : FIRST-AID MEASURESEYE CONTACTFlush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs.SKIN CONTACTRemove contaminated clothing. Wash with plenty of running water.INHALATIONAvoid breathing mist. May cause respiratory irritation. If irritation occurs, more	SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS						
Potassium Silicate Silicic acid, Lithium Salt; 1 - 3 12627-14-4 Not Established Not Established Lithium Silicate SECTION 4: FIRST-AID MEASURES FIRST-AID MEASURES EYE CONTACT Flush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs. SKIN CONTACT Remove contaminated clothing. Wash with plenty of running water. INHALATION Avoid breathing mist. May cause respiratory irritation. If irritation occurs, more							
Lithium Silicate SECTION 4 : FIRST-AID MEASURES FIRST-AID MEASURES EYE CONTACT Flush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs. SKIN CONTACT Remove contaminated clothing. Wash with plenty of running water. INHALATION Avoid breathing mist. May cause respiratory irritation. If irritation occurs, more		5 - 10	1312-76-1	Not Established	Not Established		
FIRST-AID MEASURES EYE CONTACT Flush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs. SKIN CONTACT Remove contaminated clothing. Wash with plenty of running water. INHALATION Avoid breathing mist. May cause respiratory irritation. If irritation occurs, more		1 - 3	12627-14-4	Not Established	Not Established		
EYE CONTACT Flush eyes promptly with plenty of running water, continuing at least 15 min with eyelids held open. Get medical attention if eye irritation occurs. SKIN CONTACT Remove contaminated clothing. Wash with plenty of running water. INHALATION Avoid breathing mist. May cause respiratory irritation. If irritation occurs, more		S	ECTION 4 : FIRS	ST-AID MEASURES			
INGESTION	EYE CONTACT		with eyelids Remove com Avoid breath a fresh air en Rinse mouth	held open. Get medical attenti taminated clothing. Wash with ing mist. May cause respiratory vironment. Seek medical atten	on if eye irritation occurs. plenty of running water. rirritation. If irritation occurs, move tion if irritation continues.		

Obtain immediate medical attention, treat symptomatically.



SDS-506 Revised October 8th, 2017

	SAFETY DATA SHEET Page 2				
SECTION	V 5: FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	This material is compatible with all extinguishing media. No information available.				
SUBSTANCE/ MIXTURE HAZARDOUS COMBUSTION PRODUCTS	In a fire wear full protective gear including a self-contained breathing apparatus.				
SECTION 6: A	ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS ENVIRONMENTAL PRECAUTIONS CLEAN-UP METHODS	Wear suitable goggles and protective clothing Avoid contact with skin and eyes. Danger of slipping on spilled product. Prevent entry into sewers or streams, dike if needed. Consult local authorities. Remove with liquid-absorbing material, for example sand. Remove last traces by diluting with plenty of (warm) water.				
SECTIO	N 7: HANDLING AND STORAGE				
PRECAUTIONS FOR SAFE HANDLING CONDITIONS FOR SAFE STORAGE	Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills. CAUTION: Can etch glass if not promptly removed. Keep packaging/ storage vessel closed when not in use. Store the product in plastic containers. Do not store in aluminum, steel, fiberglass, copper, brass, zinc or galvanized containers. Store below 50°C. Protect from freezing.				
SECTION 8: EXPOSU	URE CONTROLS / PERSONAL PROTECTION				
OCCUPATIONAL EXPOSURE LIMITS ENGINEERING CONTROLS: OTHER/TYPE	None of the components have assigned exposure limits. Portable eyewash fountain and a safety shower should be available to the work				
PROTECTIVE EQUIPMENT: EYE / TYPE RESPIRATORY PROTECTION GLOVES/TYPE CLOTHING/TYPE	area vicinity. Wear chemical splash goggles when handling this product. Use a NIOSH-approved dust and mist respirator where spray mist occurs. Observe OSHA regulations for respirator use (29 C.F.R. §1910.134). Wear suitable gloves, e.g., PVC or nitrile rubber. Use a lab coat or apron as necessary to minimize skin contact.				
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES					
PHYSICAL STATE APPEARANCE. ODOUR ODOUR TRESHOLD pH LEVEL FREEZING POINT BOILING POINT AUTOIGNITION TEMPERATURE FLASH POINT VAPOUR PRESSURE (mmHg @ 20°C (68°F) VAPOUR DENSITY (AIR=1) SPECIFIC GRAVITY @ 20°C (68°F) SOLUBILITY IN WATER EVAPORATION RATE (N-BuAc=1)	Liquid Clear low viscosity liquid None Not available. 10.0 -12.0 @ 21°C (69.8°F) < 0°C (32°F) > 100°C (>212°F) Not applicable Not applicable Not applicable Not applicable 1.08 Complete Not applicable				
V.O.C. CONTENT	0 gms/L				



SDS-506 Revised October 8th, 2017

	SAFETY DATA SHEET Page 3					
SECTION 10: STABILITY AND REACTIVITY						
REACTIVITY CHEMICAL STABILITY POSSIBLE HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS:	Non-reactive under normal conditions. The product is chemically stable. Hazardous polymerization will not occur. Avoid contamination with acids, will generate exothermic reactions. Avoid contact with Zinc, Tin, Aluminum, Copper and their alloys. Separate from acids, reactive metals, and ammonium salts. Hydrogen gas.					
	SECTION 11: TOXICOLOGICAL INFORMATION					
ACUTE ORAL TOXICITY (LD50) CARCINOGENICITY OF MATERIAL TERATOGENICITY MUTAGENICITY REPRODUCTIVE EFFECTS	Refer to Section 3 This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA. Not available. Not available. Not available.					
ROUTES OF EXPOSURE: EYE CONTACT SKIN CONTACT INHALLATION INGESTION	SYMPTOMS AND EFFECTS: Causes eye irritation. Frequent or prolonged contact may irritate the skin, low toxicity. Nose and throat mucosal irritation. Repeated ingestion or ingestion of large doses of soluble lithium compounds during pregnancy is reported to cause fetus abnormalities. Frequent ingestion over extended periods of time of gram quantities of silicates is associated with the formation kidney stones and other siliceous urinary calculi in humans.					
SECTION 12: ECOLOGICAL INFORMATION						
PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL MOBILITY IN THE SOIL	No data available for lithium silicate compounds. However, the pH of most undiluted silicate solutions is above acceptable limits for direct discharge into waterbodies. No data available. Inorganic. The substance has no potential for bioaccumulation. No data available.					
SECTION 13: DISPOSAL CONSIDERATIONS						
PRODUCT DISPOSAL	Spilled material and water rinses waste must be disposed of in accordance with current, local, provincial and federal regulations. Thoroughly dilute with water before flushing into sewer. Empty containers of this product can be disposed of as normal garbage.					
SECTION 14: TRANSPORTATION INFORMATION						
TDG CLASSIFICATION	Not regulated.					
SECTION 15: REGULATORY INFORMATION						
WHMIS CLASSIFICATION CPR (CANADA) COMPLIANCE	D2B Meets all requirements.					
SECTION 16: OTHER INFORMATION						
ACGIH IARC NTP STEL PEL TLV-TWA OSHA NIOSH	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health					



SDS-506 Revised October 8th, 2017

	SAFETY DATA SHEET Page 4
CERCLA CPR CAS PPE N/Av	Comprehensive Environmental Response, Compensation and Liability Act of 1980 Controlled Products Regulations Chemical Abstracts Service Personal Protection Equipment Not available
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 October 8 th , 2017

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.