

SAFETY DATA SHEET	Page 1
SECTION 1: IDENTIFICATION	

PRODUCT NAME: CIPADITE® E-600 GROUT LE PART "A"

MANUFACTURER/SUPPLIER: CPD Construction Products

219 Connie Crescent, Unit #13

Concord, Ontario Canada L4K 1L4

24 HOUR EMERGENCY NUMBER: CANUTEC: (613) 996-6666

APPLICATION AND USE: High strength grout for base plates, anchor bolts, columns etc., where either

very high strengths and/or chemical resistance are required.

PRODUCT DESCRIPTION: Aggregate filled thermosetting Epoxy Compound. This component is the base

resin only. CIPADITE® E-600 Grout LE is a three-component product. There

are 3 SDS's for this product.

SECTION 2: HAZARDS INDENTIFICATION

GHS CLASSIFICATION: Skin irritation 2; Serious eye irritation 2A; Skin sensitization 1



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H315 Causes skin irritation

H317 May cause an allergic skin reaction

H320 Causes eye irritation

PRECAUTIONARY STATEMENTS:

P272 Contaminated work clothing should not be allowed out of the workplace

P264 Wash thoroughly after handling

RESPONSE P308+P311 If exposed or concerned: Call a POISON CENTER or doctor

/physician

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse P333+P313 If skin irritation or rash occurs: Get medical advice/ attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P301+ P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce

vomiting. Get immediate medical advice/ attention.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species
4,4-Isopropyli-denediphenol	60-100	25068-38-6	11400 mg/ Kg (Oral-Rat)	No Data
2-Ethyl Hexyl Glycidyl Ether	10-15	2461-15-6	7800 mg/ Kg (Rat-Oral)	No Data
CENTRAL A PERSON AND A PERSON A				

SECTION 4 : FIRST-AID MEASURES

FIRST-	Λ ID	MEA	CHIREC

occurs: Get medical advice/ attention. Take off contaminated clothing and wash

it before reuse.



	SAFETY DATA SHEET	Page 2
INHALATION	Move to fresh air. If Breathing is difficult, give oxygen by qualified personnel only. If breathing stops, provide artificial respiration. If exconcerned: Get medical attention/advice.	
INGESTION	DO NOT induce vomiting. Never give anything by mouth to a perso unconscious or is having convulsions. If exposed or concerned: Get advice/ attention.	
SYMPTOMS AND EFFECTS, ACUTE OR		
NOTE TO THE PHYSICIAN	May cause severe skin sensitization with allergic contact dermatitis such as swelling, rash and eczema. May be mildly irritating to skin, respiratory system. Exposure may cause temporary irritation, rednes discomfort. Symptoms may include upper respiratory irritation, coubreathing difficulties. Ingestion may cause gastrointestinal irritation vomiting and diarrhea. In the event of accidental exposure immediate medical attention is resymptomatically.	eyes and ss or ghing and , nausea,
SECTION	N 5: FIRE-FIGHTING MEASURES	
SUITABLE EXTINGUISHING MEDIA UNSUITABLE EXTINGUISHING MEDIA SPECIAL HAZARDS ARISING FROM THE	Carbon dioxide (CO ₂), dry chemical or alcohol resistant foam; water Do not use a solid water stream as it may scatter and spread fire.	r, fog
SUBSTANCE OR MIXTURE	The pressure in sealed containers can increase under the influence of Not flammable, according to OSHA 29 CFR 1910.106. Carbon oxides; Acids; Phenols; Aldehydes; other unidentified compare-fighters must use standard protective equipment including flam coat, helmet with face shield, gloves, rubber boots and in enclosed standard protective and in enclosed standard protective boots.	oounds. ne retardant
SPECIAL FIRE FIGHTING PROCEDURES	fighters should wear an approved full face, self-contained breathing (SCBA) and impervious clothing. Move containers from fire area if safe to do so. Cool closed contains to fire with water spray. Do not allow run-off from the firefighting the drains or water courses. Dike for water control.	ers exposed
SECTION 6:	ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, EMERGENCY PROCEDURES	Keep people away from and upwind of spill/leak. Restrict access to completion of clean-up. Wear appropriate protective equipment. Reprotective measures listed in Sections 7 and 8.	
ENVIRONMENTAL PRECAUTIONSMETHODS AND MATERIAL FOR	Prevent product from entering drains, sewers, waterways and soil.	
CONTAINMENT AND CLEAN-UP	Ventilate the area. Remove all sources of ignition. Prevent further lessible spillage if safe to do so. For spilled liquids absorb with inert, non-comaterial such as sand, then place into suitable containers. Pick up as properly labelled containers. Contaminated absorbent material may same hazards as the spilled product. Contact the proper local author Section 13 for disposal of contaminated material.	ombustible and transfer to pose the
SPECIAL SPILL RESPONSE PROCEDURES	If a spill/ release in excess of the EPA reportable quantity is made i environment, notify the national response centre in the United State 800-424-8802). US CERCLA Reportable quantity (RQ): None known	s (phone: 1-
SECTIO	N 7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	Obtain special instruction before use. Do not handle until all safety have been read and understood. Persons with recurrent skin eczema sensitization problems should be excluded from working with this paperson is consisted, no further exposure to the meterial that cause	or oroduct. Once

a person is sensitized, no further exposure to the material that caused the

sensitization should be permitted. Provide adequate ventilation. Wear suitable protective equipment during handling. Wear protective gloves/ clothing and eye/ face protection. Avoid breathing vapours. Avoid contact with skin, eyes and



	SAFETY DATA SHEET Page
CONDITIONS FOR SAFE STORAGE	clothing. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers closed when not in use. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workpla Empty containers retain residue (liquid and/or vapour) and can be dangerous. Store in cool/ well ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorised personnel. Inspect periodically for damage or leaks.
SECTION 8: EXPOSE	URE CONTROLS / PERSONAL PROTECTION
EXPOSURE LIMITS	Contains no substances with occupational exposure limit values.
EXPOSURE CONTROLS: VENTILATION/ ENGINEERING MEASURES:	Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
RESPIRATORY PROTECTION	case of insufficient ventilation, wear suitable respiratory equipment. If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected base on the form and concentration of contaminants in air, and in accordance with OSHA (29CFR 1910.134) or CSA Z94.4-02. NIOSH approved organic vapou cartridge respirators are recommended. Advice should be sought from respiratory protection specialists.
SKIN PROTECTION	Wear protection specialists. Wear protective gloves/ clothing. Gloves impervious to the material are recommended. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
EYE/ FACE PROTECTION	Wear eye/ face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.
OTHER PROTECTIVE EQUIPMENT	An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
GENERAL HYGIENE CONSIDERATIONS	Do not eat, drink, smoke or use cosmetics while working with this product. Do not breath dust or mist. Avoid contact with eyes, skin and clothing. Barrier creams may help to protect the exposed areas of skin; they should however no be applied once exposure has occurred. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Contaminated clothing must not be allow out of the workplace.
SECTION 9: PH	YSICAL AND CHEMICAL PROPERTIES
APPEARANCE ODOUR ODOUR THRESHOLD pH LEVEL MELTING/ FREEZING POINT BOILING POINT FLASH POINT (deg C), METHOD. EVAPORATION RATE FLAMMABILITY VAPOUR PRESSURE VAPOUR DENSITY (Air=1) (mg/m3) SPECIFIC GRAVITY @ 20°C (68°F) VISCOSITY VOLATILES (% by WEIGHT) VOC'S (Volatile Organic Compounds) SOLUBILITY IN WATER (%W/W)	Clear, slightly yellow mobile liquid Mild Hydrocarbon Not available Not available Not available Not available >93°C (199.4°F) T.C.C. Not available Not applicable More than 4 mmHg @ 20°C (68°F) Not available 1.125 grams/mL 1300-1500 cps @ 20°C (68°F) Not available 0 grams/L Negligible.



	Revised May 14 th , 2019
	SAFETY DATA SHEET Page 4
SECTION	10: STABILITY AND REACTIVITY
REACTIVITY CHEMICAL STABILITY HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	Not normally reactive. Stable under the recommended storage and handling conditions prescribed. Hazardous polymerization does not occur. Avoid direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Strong Oxidizing Agents Strong Acids. Strong Bases. Refer to hazardous combustion products, Section 5.
SECTION 11	: TOXICOLOGICAL INFORMATION
LIKELY ROUTES OF EXPOSURE	Inhalation, skin and eye contact, ingestion, skin absorption.
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION INGESTION SKIN CONTACT EYE CONTACT CHRONIC HEALTH EFFECTS MUTAGENICITY CARCINOGENICITY REPRODUCTIVE EFFECTS SENSITIZATION TO MATERIAL SPECIFIC TARGET ORGAN EFFECTS MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE SYNERGISTIC MATERIALS	Mild respiratory irritant. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause mild skin irritation. Direct skin contact may cause temporary redness. Direct eye contact may cause slight or mild transient irritation. Exposure may cause temporary irritation, redness and discomfort. None known. Not expected to be mutagenic. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP Not classified based on available information. Skin sensitization: May cause an allergic skin reaction. Respiratory sensitization: Not classified based on available information. This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015) Pre-existing skin, eye, and respiratory disorders. None known.
TOXICOLOGICAL DATA	There is no data available for this product. Refer to Section 3 None known.
SECTION	12: ECOLOGICAL INFORMATION
PERSISTANCE AND DEGRADABILITY BIOACCUMULATION POTENTIAL MOBILITY IN SOIL OTHER ADVERSE ENVIRONMENTAL	No data is available for the product itself. However, ingredients listed in the chemical composition are toxic to aquatic life with long lasting effects. Therefore, the product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product itself has not been tested. No data is available on the product itself. No data is available on the product itself.
EFFECTS	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.
SECTION	13: DISPOSAL CONSIDERATIONS
HANDLING FOR DISPOSAL METHODS OF DISPOSAL RCRA	Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in Sections 7 and 8. Dispose in accordance with all applicable federal, state, provincial and local regulations. If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



SDS-107 Revised May 14th, 2019

	SAFETY DATA SHEET	Page 5
SECTION 14:	TRANSPORTATION INFORMATION	
TDG CLASSIFICATION	Not regulated.	
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE		
IBC CODE	Not applicable.	
SECTION	15: REGULATORY INFORMATION	
CEPA INFORMATIONWHMIS CLASSIFICATION	All ingredients listed appear on the Domestic Substances List (DSL) Class D2B Eye Irritant, Skin Sensitizer	
SECTI	ON 16: OTHER INFORMATION	
ACGIH IARC NTP. STEL PEL TLV-TWA OSHA NIOSH MSHA RCRA CPR CEPA CEPA CERCLA CAS PPE N/A	American Confederation of Governmental Industrial Hygienists International Agency for Research on Cancer National Toxicology Program Short Term Exposure Limit Permissible Exposure Limit Threshold Limit Value - Time-Weighted Average Occupational Safety and Health Administration National Institute for Occupational Safety and Health Mine Safety and Health Administration Resource Conservation and Recovery Act Controlled Products Regulations Canadian Environmental Protection Act Comprehensive Environmental Response, Compensation, and Liability Chemical Abstracts Service Personal Protection Equipment Not available	Act
PREPARED BY: TELEPHONE NUMBER: PREPARATION DATE:	Camelia Gardo (905) 669-5013 March 20 th , 2018	
	arrently formulated and is based on the information available at this time ostantially alter the composition and hazards of the product. Since condit	

are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.