

	SAFETY DATA SHEET Page 1
SEC	CTION 1: IDENTIFICATION
PRODUCT NAME: CIPADITE® E-600 GR	OUT LE PART "B"
MANUFACTURER/SUPPLIER:	219 Connie Crescent, Unit #13
24 HOUR EMERGENCY NUMBER: APPLICATION AND USE:	Concord, Ontario Canada L4K 1L4 CANUTEC: (613) 996-6666 High strength grout for base plates, anchor bolts, columns etc., where either very high strengths and/or chemical resistance are required.
PRODUCT DESCRIPTION:	Aggregate filled thermosetting Epoxy Compound. This component is the catalyst only. Cipadite <sup>®</sup> E-600 Grout LE is a three-component product. There are 3 SDS's for this product.
SECTION	2: HAZARDS INDENTIFICATION
GHS CLASSIFICATION:	Acute Toxicity, dermal- 4; Skin corrosion/ irritation- 1B; Serious eye damage/ eye irritation- 1; Skin sensitization- 1A; Specific target organ toxicity, single exposure- 3 (Respiratory irritation)
SIGNAL WORD:	DANGER         H312 Harmful in contact with skin         H314 Causes severe skin burns and eye damage         H317 May cause allergic skin reaction         H335 May cause respiratory irritation
PRECAUTIONARY STATEMENTS:	
PREVENTION	<ul> <li>P201 Obtain special instruction before use</li> <li>P202 Do not handle until all safety precautions have been read and understood</li> <li>P271 Use only outdoors or in a well-ventilated area</li> <li>P260 Do not breath dust or mist</li> </ul>
RESPONSE	<ul> <li>P272 Contaminated work clothing should not be allowed out of the workplace</li> <li>P264 Wash thoroughly after handling</li> <li>P280 Wear protective gloves/ clothing and eye/face protection</li> <li>P308+P311 If exposed or concerned: Call a POISON CENTER or doctor</li> </ul>
	/physician. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminate clothing. Rinse skin with water/shower. Wash contaminated clothing before rev P333+P313 If skin irritation or rash occurs: Get medical advice/ attention P304+P340 IF INHALLED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minute. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331+315 IF SWALLOWED: Rinse mouth. Do not induce
OTHER HAZARDS	vomiting. Get immediate medical advice/ attention Ingestion can cause gastrointestinal irritation, nausea and diarrhea. Prolonged inhalation may cause adverse lung effects with symptoms including coughing, mucous production and difficulty breathing.



		SAFETY 1	DATA SHEET	Page 2
SEC	<b>CTION 3 : (</b>		<b>NFORMATION ON INGREDIEN</b>	0
Hazardous Ingredients	%	C.AS. #	LD/50, Route, Species	LC/50, Route, Species
Tall Oil Fatty Acids, reaction product with Tetraethylene Pentamine	20-25	68953-36-6	2919-4464 mg/ Kg (Oral, Rat) >2000 mg /Kg (Dermal, Rab	No Data bit)
Tetraethylene Pentamine	5-10	112-57-2	3250 mg/ Kg (Oral, Rat) 660-1269 mg/ Kg (Dermal, Rabbit)	No Data
Carbomonocyclic alkylated mixtures of poly-aza-alkanes, hydrogenated	30-35	1173092-74-4	No Data	No Data
Cyclohexanone	1-3	108-94-1	1340 mg/ Kg (Oral, Rat) 940 mg/ Kg (Dermal, Rabbit)	2639 ppm (10.6 mg/L) (vapour) Inh. Rat
		<b>SECTION 4 : FIR</b>	ST-AID MEASURES	
FIRST-AID MEASURES EYE CONTACT		Immediately cautiously w easy to do. ( Immediately	y call a POISON CENTRE or doctor/phy with water for several minutes. Remove Continue rinsing. y call a POISON CENTRE or doctor/physical sector/physical sector sector/physical sector/physical sector/physical sector/physical sector/physical sector/physical sector/physical sector/physical sector/physical sector se	contact lenses if present and nysician. IF ON SKIN (or
INHALATION		water/ show Wash contar Immediately remove pers	ve/ Take off immediately all contamina er. If skin irritation or rash occurs: Get ninated clothing before reuse. call a POISON CENTRE or doctor/ pl on to fresh air and keep comfortable fo e artificial respiration. If breathing is dir	medical advice/attention. hysician. IF INHALLED: r breathing. If breathing has
INGESTION		qualified me Immediately	dical personnel only. call a POISON CENTRE or doctor/ pl DO NOT induce vomiting. Never giv	hysician. IF SWALLOWED:
SYMPTOMS AND EFFECTS, EYE CONTACT SKIN CONTACT		Causes seve Harmful in o tissues. Cau burns, deep skin reaction	re eye damage. contact with skin. May be absorbed thro ses severe skin burns. Direct skin conta ulcerations and possibly permanent sca 1 (e.g. swelling, rash and eczema) Aller	ct may cause corrosive skin rring. May cause an allergic
INHALATION		Harmful if i cause severe	burs after exposure. nhaled. May cause respiratory irritation priritation to the nose, throat and respir	atory tract. Symptoms may
INGESTION		Ingestion ca digestive tra	ghing, chest pain and shortness of breat n cause irritation and corrosive action i ct. Symptoms include: Gastrointestinal	n the mouth, stomach and
NOTE TO THE PHYSICIAN .		cramping an In the event symptomatic	of accidental exposure immediate med	ical attention is required. Treat
	SE	CTION 5: FIRE-F	IGHTING MEASURES	
SUITABLE EXTINGUISHING UNSUITABLE EXTINGUISH SPECIAL HAZARDS ARISIN	IING MEDIA IG FROM TH	Do not use a IE	ide (CO <sub>2</sub> ), dry chemical or alcohol foar solid water stream as it may scatter an	d spread fire.
SUBSTANCE OR MIXTURE FLAMMABILITY CLASSIFIC HAZARDOUS COMBUSTION	CATION	up of interna Not flammal S Carbon oxid	ainers may rupture if exposed to excess al pressure. ble, according to OSHA 29 CFR 1910. es. Nitrogen oxides, Hydrogen cyanide Ketones and other irritating fumes and s	106. , Ammonia, Amines,



	SAFETY DATA SHEET	Page 3
FIRE-FIGHTERS PROTECTIVE EQUIPMENT SPECIAL FIRE FIGHTING PROCEDURES	Fire-fighters must use standard protective equipment including coat, helmet with face shield, gloves, rubber boots and in enclo fighters should wear an approved full face, self-contained brea (SCBA) and impervious clothing. Move containers from fire area if safe to do so. Water spray m cooling equipment exposed to heat and flame. Do not allow ru	osed spaces, fire- thing apparatus ay be useful in
	firefighting to enter drains or water courses. Dike for water co	
SECTION 6:	ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY		
PROCEDURES	Restrict access to area until completion of clean-up. Ensure cle conducted by trained personnel only. All persons dealing with wear the appropriate protective equipment including self-conta apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PROTECTION, for additional information on acceptable perso equipment.	clean-up should ined breathing PERSONAL
ENVIRONMENTAL PRECAUTIONS	Ensure spilled product does not enter drains, sewers, waterway spaces. For large spills, dike the area to prevent spreading.	vs or confined
METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP	Ventilate the area. Remove all sources of ignition. Stop the spi safe to do so. Contain and absorb spilled liquid with non-com	bustible, inert
SPECIAL SPILL RESPONSE PROCEDURES	absorbent material (e.g. sand). Pick up and transfer to properly containers. Refer to Section 13 for disposal of contaminated n the proper local authorities. If a spill/ release in excess of the EPA reportable quantity is menvironment, immediately notify the national response centre states (phone: 1-800-424-8802) or the appropriate local authority authority is menvironment.	naterial. Contact nade into the in the United
SECTIO	N 7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	Obtain special instruction before use. Do not handle until all sa have been read and understood. Use only outdoors or in a well Persons with recurring skin eczema or sensitization problems s from working with this product. Once a person is sensitized, not to the material that caused the sensitization should be permitted gloves/ clothing and eye/ face protection. Contaminated work of be allowed out of the workplace. Do not breath dust or mist. D Avoid contact with eyes, skin and clothing. Do not eat, drink, s cosmetics while working with this product. Wash thoroughly a Keep containers tightly closed when not in use. Keep away fro and flame. Take precautions to prevent premature mixing of co- subsequent premature curing.	-ventilated area. should be excluded of further exposure d. Wear protective clothing must not o not ingest. smoke or use fifter handling. m extreme heat opponents and
CONDITIONS FOR SAFE STORAGE	Store locked up. Keep containers tightly closed. Store in a well Store away from incompatible materials. Inspect periodically f leaks. Storage area should be clearly identified, clear of obstru- accessible only to trained and authorized personnel. No smokin	or damage or ction and
	URE CONTROLS / PERSONAL PROTECTION	
EXPOSURE LIMITS:	<u>ACGIH TLV</u> <u>OSHA</u> <u>TWA STEL</u> <u>PEL</u>	<u>. PEL</u> <u>STEL</u>
TETRAETHYLENEPENTAMINE	I WASTELFEL5 mg/ m³ (skin)N/AvN/Av(AIHA WEEL)	N/Av
CYCLOHEXANONE	20 ppm (skin) N/Av 50 ppm (200 mg/ m <sup>3</sup>	) N/Av



### **SDS-108** Revised May 14th, 2019

#### SAFETY DATA SHEET

Page 4 **EXPOSURE CONTROLS:** VENTILATION/ ENGINEERING MEASURES: Use only in well ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. RESPIRATORY PROTECTION ..... If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29CFR 1910.134) or CSA Z94.4-02. NIOSH approved organic vapour cartridge respirators are recommended. Advice should be sought from respiratory protection specialists. SKIN PROTECTION Wear protective gloves/ clothing. Gloves impervious to the material are recommended. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves. EYE/ FACE PROTECTION ..... Wear eye/ face protection. Chemical splash goggles are recommended. A full face shield may also be necessary. OTHER PROTECTIVE EQUIPMENT ..... An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards. GENERAL HYGIENE CONSIDERATIONS .... Do not eat, drink, smoke or use cosmetics while working with this product. Do not breath dust or mist. Avoid contact with eyes, skin and clothing. Barrier creams may help to protect the exposed areas of skin; they should however not be applied once exposure has occurred. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Contaminated clothing must not be allowed out of the workplace.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Clear amber liquid
ODOUR	Amine Odour
ODOUR THRESHOLD	Not available
pH LEVEL	Not available
MELTING/ FREEZING POINT	250°C (482°F)
BOILING POINT	Not available
FLASH POINT	Not available
FLASH POINT	Not available
FLAMMABILITY	Not applicable
VAPOUR PRESSURE	Less than 1 mmHg @ 20°C (68°F)
VAPOUR DENSITY (Air=1) (mg/m3)	5.04
SPECIFIC GRAVITY @ 20°C (68°F)	0.970
VAPOUR PRESSURE VAPOUR DENSITY (Air=1) (mg/m3)	5.04
VISCOSITY	400 cps @ 20°C (68°F)
VOLATILES (% by WEIGHT)	Not available
VOC's (Volatile Organic Compounds)	0 grams/L
SOLUBILITY IN WATER (%W/W)	Partially soluble

### **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY CHEMICAL STABILITY HAZARDOUS REACTIONS CONDITIONS TO AVOID	Not normally reactive. Stable under the recommended storage and handling conditions prescribed. Hazardous polymerization does not occur. Avoid heat and open flame. Avoid contact with incompatible materials. Ensure adequate ventilation, especially in confined areas.
INCOMPATIBLE MATERIALS	Acids. Oxidizing agents. Acid chlorides. Acid anhydrides. Aldehydes. Ketones. Acrylates.
HAZARDOUS DECOMPOSITION PRODUCTS	Refer to hazardous combustion products, Section 5.



<b>SDS-108</b>	
Revised March 20th, 20	18

TOXICOLOGICAL INFORMATION	<b>U</b>
Inhalation, skin and eye contact, ingestion, skin absorption.	
to the nose, throat and respiratory tract. Symptoms may include	
Ingestion can cause irritation and corrosive action in the mou digestive tract. Symptoms include: Gastrointestinal discomfor	
Harmful in contact with skin. May be absorbed through the sk tissues. Causes severe skin burns. Direct skin contact may cau	
	tact may produce
coughing, mucous production and difficulty breathing.	ptoms including
	OSHA or NTP
CFR1910.1200) (Hazcom2012) and Canadian WHMIS regula	tions (Hazardous
Category 1A- May cause allergic skin reaction. Not expected to be a respiratory sensitizer.	nsitization-
This material is classified as hazardous under U.S. OSHA reg CFR1910.1200) (Hazcom2012) and Canadian WHMIS regula Products Regulations) (WHMIS 2015) Classification: Specific toxicity, single exposure- Category 3 May cause respiratory in	tions (Hazardous c target organ ritation.
Pre-existing skin, eye, and respiratory disorders.	
Not available.	
There is no data available for this product.	
Refer to Section 3.	
2: ECOLOGICAL INFORMATION	
the possibility that large or frequent spills can have a harmful	
No data is available on the product itself.	
13: DISPOSAL CONSIDERATIONS	
	practice Since
emptied containers may retain product residue, follow label w container is emptied. Refer to protective measures listed in Se	arnings even after ctions 7 and 8.
If this product, as supplied, becomes a waste in the United Sta the criteria of a hazardous waste as defined under RCRA, Titl	tes, it may meet e 40 CFR 261. It is
	May cause respiratory irritation. If mists are formed, may cau to the nose, throat and respiratory tract. Symptoms may inclu- pain and shortness of breath. Ingestion can cause irritation and corrosive action in the mou- digestive tract. Symptoms include: Gastrointestinal discomfor- vomiting, cramping and diarrhea. Harmful in contact with skin. May be absorbed through the sk tissues. Causes severe skin burns. Direct skin contact may cau- burns, deep ulcerations and possibly permanent scarring. Corrosive to eyes. Causes serious eye damage. Direct eye con- severe irritation with possible eye damage. Prolonged inhalation may cause adverse lung effects with sym coughing, mucous production and difficulty breathing. Not expected to be mutagenic in humans. No components are listed as carcinogens by ACGIH, IARC, O There is no data available for this product. This material is classified as hazardous under U.S. OSHA regu CFR1910.1200) (Hazcom2012) and Canadian WHMIS regula Products Regulations) (WHMIS 2015) Classification: Skin set Category 1A- May cause allergic skin reaction. Not expected to be a respiratory sensitizer. Eyes, skin, respiratory system and digestive system. This material is classified as hazardous under U.S. OSHA regu CFR1910.1200) (Hazcom2012) and Canadian WHMIS regula Products Regulations) (WHMIS 2015) Classification: Specific toxicity, single exposure- Category 3 May cause respiratory ir Not classified as specific target organ toxicity- repeated expose Pre-existing skin, eye, and respiratory disorders. Not available. There is no data available for this product. Refer to Section 3. <b>2: ECOLOGICAL INFORMATION</b> Not expected to be harmful to aquatic organisms. However, th the possibility that large or frequent spills can have a harmful on the environment. Avoid release to the environment. No data is available on the product itself. No data is available on the product itself. N



	SAFETY DATA SHEETPage
SECTION 14	4: TRANSPORTATION INFORMATION
IN ACCORDANCE WITH ALL TDG;	
49CFR/DOT; ICAO/ IATA; IMDG CRITERIA:	Polyamines, Liquid, Corrosive, N.O.S. (Polyamidoamine, Aliphatic amine, Tetraethylene Pentamine) UN2735, Class 8, PG III
SPECIAL PRECAUTIONS FOR USERS ENVIRONMENTAL HAZARDS TRANSPORT IN BULK ACCORDING TO	Appropriate advice on safety must accompany the package This product does not meet the criteria for an environmental hazardous mixture according to the IMDG Code. Refer to Section12.
ANNEX II OF MARPOL 73/78 AND THE	
IBC CODE	This information is not available.
	15: REGULATORY INFORMATION
CEPA INFORMATION	All ingredients listed appear on the Domestic Substances List (DSL) Class D, Division 2, Subdivision B Class E, Corrosive
CPR (CANADA) COMPLIANCE	Meets all requirements.
SECT	ION 16: OTHER INFORMATION
ACGIH	American Confederation of Governmental Industrial Hygienists
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
STEL	Short Term Exposure Limit
PEL	Permissible Exposure Limit
TLV-TWA	Threshold Limit Value - Time-Weighted Average
OSHA	Occupational Safety and Health Administration
NIOSH	National Institute for Occupational Safety and Health
RCRA	Resource Conservation and Recovery Act
CPR	Controlled Products Regulations
СЕРА	Canadian Environmental Protection Act
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CERCLA CAS	Comprehensive Environmental Response, Compensation and Liability Act Chemical Abstracts Service
CERCLA CAS PPE N/Av	Comprehensive Environmental Response, Compensation and Liability Act
CERCLA CAS PPE	Comprehensive Environmental Response, Compensation and Liability Act Chemical Abstracts Service Personal Protection Equipment
CERCLA CAS PPE N/Av	Comprehensive Environmental Response, Compensation and Liability Act Chemical Abstracts Service Personal Protection Equipment Not available
CERCLA CAS PPE	Comprehensive Environmental Response, Compensation and Liability Act Chemical Abstracts Service Personal Protection Equipment

The above information pertains to this product as currently formulated and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.