

SDS-112
Revised May 14th, 2019

SAFETY DATA SHEET

Page 1

SECTION 1: IDENTIFICATION

PRODUCT NAME: CIPADITE® E-700 GROUT HI FLOW AGGREGATE

MANUFACTURER/SUPPLIER: CPD Construction Products
219 Connie Crescent, Unit #13
Concord, Ontario Canada L4K 1L4

24 HOUR EMERGENCY NUMBER: CANUTEC: (613) 996-6666

PRODUCT IDENTIFIER: CIPADITE® E-700 Grout HI FLOW Aggregate (Special Note): CIPADITE® E-700 Grout HI FLOW is a three-component product. This SDS is only for the aggregate. See separate SDS's for the resin component and hardener component. This product has 3 Safety Data Sheets.

APPLICATION AND USE: High strength grout for base plates, anchor bolts, columns etc., where either very high strengths and/or chemical resistance are required.

PRODUCT DESCRIPTION: Silica filled thermosetting Epoxy Compound. This component is the Silica Aggregate Component only.

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION: Carcinogenicity 1A (Inhalation); Specific target organ toxicity- Repeated exposure 1, Lungs



SIGNAL WORD: **DANGER**

HAZARD STATEMENTS: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350 May cause cancer by inhalation
H372 Causes damage to organs (Lung) through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS:

PREVENTION P260 Do not breathe dust
P264 Wash hands thoroughly after handling
P270 Do not eat, drink or smoke when using this product
P281 Use personal protective equipment as required
P284 In case of inadequate ventilation, wear respiratory protection

RESPONSE P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P308+P313 If exposed or concerned: Get medical advice/ attention

OTHER HAZARDS: Not available.

UNKNOWN ACUTE TOXICITY: Not available.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Ingredients | % | C.A.S. # | LD/50, Route, Species | LC/50, Route, Species |
|-----------------------|--------|------------|-----------------------|-----------------------|
| Silica Sand ** Quartz | 60-100 | 14808-60-7 | Not Available | Not Available |

** The sand used in this product contains Quartz. The Quartz that exists as particles with Aerodynamic Diameter less than 5 microns is hazardous. An approved dust mask (for Crystalline Silica) should be worn by workers when handling this product in the dry state.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SDS-112
Revised May 14th, 2019

SAFETY DATA SHEET

Page 2

SECTION 4 : FIRST-AID MEASURES

FIRST-AID MEASURES

| | |
|--|---|
| EYE CONTACT | Remove contact lenses if present and easy to do so. Rinse with plenty of water, keeping the eyelids wide open. |
| SKIN CONTACT | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. |
| INHALATION | Move to fresh air. Consult a physician after significant exposure. |
| INGESTION | Immediately clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice. Do not give milk or other alcoholic beverages. Never give anything by mouth to an unconscious person. |
| SYMPTOMS AND EFFECTS, ACUTE OR DELAYED | Carcinogenic effects. May cause cancer by inhalation. Causes damage to organs (Lung) through prolonged or repeated exposure. |
| NOTE TO THE PHYSICIAN | Present this material safety data sheet to the doctor in attendance. Treat symptomatically. |

SECTION 5: FIRE-FIGHTING MEASURES

| | |
|---|--|
| SUITABLE EXTINGUISHING MEDIA | This product will not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| UNSUITABLE EXTINGUISHING MEDIA | No available information. |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | Not applicable |
| FLAMMABILITY CLASSIFICATION | Not flammable. |
| HAZARDOUS COMBUSTION PRODUCTS | None. |
| FIRE-FIGHTERS PROTECTIVE EQUIPMENT ... | In the event of fire, wear self-contained breathing apparatus. |
| SPECIAL FIRE FIGHTING PROCEDURE | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. |
| ENVIRONMENTAL PRECAUTIONS | Do not flush into surface water or sanitary sewer system. For significant spillages advise local authorities. |
| METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP | Pick-up and arrange disposal without creating dust. Keep in suitable, closed containers for proper disposal. |

SECTION 7: HANDLING AND STORAGE

| | |
|-------------------------------------|--|
| PRECAUTIONS FOR SAFE HANDLING | Avoid formation of respirable particles. Avoid exceeding the given occupational exposure limits as listed in Section 8. Do not get in eyes, on skin or on clothing. For personal protection refer to Section 8. Smoking, eating and drinking should be prohibited in the application area. |
| CONDITIONS FOR SAFE STORAGE | Product should be stored off the ground. May be stored outside or inside under tarp. Do not allow bags of aggregate to get wet. Aggregate cannot be used if wet. |

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

| | |
|---|--|
| EXPOSURE LIMITS (respirable fraction in air): | |
| SILICA SAND (QUARTZ) | OSHA & MSHA-PEL 10 mg/m ³ (8-hour TWA) ACGIH-TLV 0.05 mg/m ³ (8-hour TWA) NIOSH 0.05 mg/m ³ (10-hour TWA, 40 h work week) |

SDS-112
Revised May 14th, 2019

SAFETY DATA SHEET

Page 3

EXPOSURE CONTROLS:

| | |
|---------------------------------------|---|
| VENTILATION/ ENGINEERING MEASURES ... | Provide adequate ventilation sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust or fumes, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. |
| RESPIRATORY PROTECTION | If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air. |
| SKIN PROTECTION | Wear adequate protective gloves/ clothing impervious to the material. |
| EYE/ FACE PROTECTION | Wear eye/ face protection. Safety goggles with side shields are recommended. |
| OTHER PROTECTIVE EQUIPMENT | An eyewash station and safety shower should be available in the immediate working area. Other equipment may be required depending on each workplace. |
| GENERAL HYGIENE CONSIDERATIONS | Do not eat, drink or smoke while working with this product. Do not breath dust or mist. Avoid contact with eyes, skin and clothing. Upon completion of work or prior to work breaks, wash hands thorough. Remove and wash contaminated clothing before re-use. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|------------------------------------|
| APPEARANCE | Light Grey Granular Sand Aggregate |
| ODOUR | None |
| ODOUR THRESHOLD | Not available |
| pH LEVEL | Not available |
| MELTING/ FREEZING POINT | Not available |
| BOILING POINT | Not available |
| FLASH POINT | Not applicable |
| EVAPORATION RATE | Not applicable |
| FLAMMABILITY | Not applicable |
| VAPOUR PRESSURE | Not available |
| VAPOUR DENSITY (Air=1) (mg/m3) | Not available |
| SPECIFIC GRAVITY @ 20°C (68°F) | 2.2 grams/mL |
| VISCOSITY | Not available |
| VOLATILES (% by WEIGHT) | Not available |
| VOC's (Volatile Organic Compounds) | 0 grams/L |
| SOLUBILITY IN WATER (%W/W) | Insoluble |

SECTION 10: STABILITY AND REACTIVITY

| | |
|----------------------------------|--|
| REACTIVITY | Non-reactive material. |
| CHEMICAL STABILITY | The product is chemically stable. |
| HAZARDOUS REACTIONS | Hazardous polymerization does not occur. |
| CONDITIONS TO AVOID | Avoid high humidity or wet conditions. |
| INCOMPATIBLE MATERIALS | No information available. |
| HAZARDOUS DECOMPOSITION PRODUCTS | None. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|---|---|
| ACUTE TOXICITY | Not classified based on available information. |
| MUTAGENICITY | Not expected to be mutagenic. |
| CARCINOGENICITY | Crystalline Silica is classified by IARC as 2A-possibly carcinogenic to humans. |
| REPRODUCTIVE EFFECTS | Not classified based on available information. |
| SENSITIZATION TO MATERIAL | Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information. |
| SPECIFIC TARGET ORGAN EFFECTS | Repeated Exposure: Causes damage to organs (Lungs) through prolonged or repeated exposure. Prolonged exposure can cause silicosis. |
| MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE | Pre-existing asthma. |
| SYNERGISTIC MATERIALS | None known. |
| TOXICOLOGICAL DATA | There is no data available for this product. |

SDS-112
Revised May 14th, 2019

| SAFETY DATA SHEET | | Page 4 |
|---|---|--------|
| SECTION 12: ECOLOGICAL INFORMATION | | |
| ECOTOXICITY | No data is available for the product itself. Do not empty into drains. | |
| PERSISTANCE AND DEGRADABILITY | No data is available. | |
| BIOACCUMULATION POTENTIAL | No data is available. | |
| MOBILITY IN SOIL | No data is available. | |
| OTHER ADVERSE ENVIRONMENTAL EFFECTS | No adverse environmental effects. | |
| SECTION 13: DISPOSAL CONSIDERATIONS | | |
| HANDLING FOR DISPOSAL | No special requirements. Handle in accordance with good industrial hygiene and safety practice. | |
| METHODS OF DISPOSAL | Dispose of as normal garbage or in accordance with all applicable federal, state, provincial and local regulations. | |
| SECTION 14: TRANSPORTATION INFORMATION | | |
| TDG CLASSIFICATION | Not regulated. | |
| SECTION 15: REGULATORY INFORMATION | | |
| TSCA INFORMATION | All ingredients listed in the composition of this product are either listed on the TSCA inventory or are in compliance with a TSCA inventory exemption. | |
| WHMIS CLASSIFICATION | Class D-Division 2, Subdivision A | |
| CPR (CANADA) COMPLIANCE | Meets all requirements. | |
| SECTION 16: OTHER INFORMATION | | |
| ACGIH | American Confederation of Governmental Industrial Hygienists | |
| AIHA | American Industrial Hygiene Association | |
| CAS | Chemical Abstract Services | |
| CEPA | Canadian Environmental Protection Act | |
| CFR | Code of Federal Regulations | |
| DOT | Department of Transportation | |
| IARC..... | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| NIOSH | National Institute of Occupational Safety and Health | |
| NTP..... | National Toxicology Program | |
| PEL | Permissible Exposure Limit | |
| STEL | Short Term Exposure Limit | |
| TWA | Time-Weighted Average | |
| TSCA | Toxic Substances Control Act | |
| OSHA | Occupational Safety and Health Administration | |
| N/Av | Not available | |
| PREPARED BY: | Camelia Gardo | |
| TELEPHONE NUMBER: | (905) 669-5013 | |
| PREPARATION DATE: | Mach 20 th , 2018 | |
| The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. | | |